



**Smart, stylish,
compact**

DCP-J1050DW



PRINT



COPY



SCAN



WIRELESS

www.brother.eu

Multifunction colour A4 wireless inkjet printer

The DCP-J1050DW is a stylish, compact device that's perfect for home use. Offering print, copy and scan functionality it has a feature for everyone in your household to enjoy – helping with everything, from homework to colour photographs. Print in vivid colour from anywhere at home with wireless or mobile connectivity and navigate the device easily via the 4.5cm LCD display.

DCP-J1050DW



Key Features:

- **Wireless connectivity**
- **Mobile compatible – download app: Brother Mobile Connect**
- **Automatic 2-sided printing**
- **Dust-free enclosed paper tray, holding up to 150 sheets**
- **Print directly onto photograph paper**
- **Print speeds of up to 17ipm mono & 9.5ipm colour**
- **4.5cm LCD display & control panel**

Smart, stylish, compact

This feature-rich device offers so much for the personal user. A wide range of connectivity options, including mobile compatibility, all housed in this stylish and compact shell. Measuring in at just (w)400mm x (d)343mm x (h)151mm and weighing 6.9kg, it will fit seamlessly into any space around the house.

Stay connected

You don't need to be nearby the machine to complete tasks. No matter where you are in the house, you can stay connected to your DCP-J1050DW through wireless connectivity. Furthermore, by downloading Brother Mobile Connect you can carry out an array of tasks such as print documents, check ink levels, revisit previously scanned documents and so much more.

User friendly device, for all

With its 4.5cm LCD colour display and simple-to-use navigation buttons, finding your way around the DCP-J1050DW will be simple for everyone. Even the sophisticated features such as automatic document feeding is simply activated at the touch of a button. This device is designed to improve your working processes and enable improved productivity.

General	CPU speed 576MHz	Memory Capacity 128MB	Page Gauge Yes
	Display 4.5 cm LCD		

Paper Handling	Paper Input/Standard Tray 150 sheets (80g/m²)	Media Sizes/Standard Tray A4, LTR, EXE, A5, A6, Photo (102 x 152mm/4 x 6"), Indexcard (127 x 203mm/ 5 x 8"), Photo-2L (127 x 178mm/5 x 7"), C5 Envelope, Com-10, DL Envelope, Monarch	Media Types & Weights/Auto Duplex Plain, Recycled & 64-105g/m² (17-28lb)
	Output Paper Capacity (sheets) 50 (80 g/m²)	Media Sizes/Auto Duplex <PC Print> A4/LTR/EXE/A5 <Copy> Letter/A4/A5/EXE	Media Types & Weights/Standard Tray Plain, Inkjet, Glossy (cast/resin), Recycled & 64-220g/m² (17-58 lb.)

Print	Print Speed ESAT¹ 17.0ipm Mono / 9.5ipm Colour	Duplex Print Speed¹ 3.5 secs Mono / 5.5 secs Colour	Emulation GDI
	Print Speed FPOT 6.0 Secs Mono / 9.5 Secs Colour	Resolution (horizontal x vertical) Up to 1200 x 6000 dpi Windows® only (Mac: Up to 1200 x 3600 dpi)	Auto Duplex Print Yes (up to A4/LTR)
			Quiet Mode Yes

Print Function	N-up Printing³ Reduce up to 2, 4, 9 or 16 A4 pages into just one A4 page Reduce up to 2, 4, 9 or 16 A4 pages into just one A4 page	Watermark Printing⁴ Watermark your documents with predefined text or with your own user-defined messages	Booklet Printing⁴ Print documents in A5 booklet format using manual 2-sided print
	Poster Printing⁴ Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages	ID Printing⁴ Add identification to your printed documents (date & time, short custom message or PC username)	Print Profiles³ Store your favourite driver settings as profiles to easily recall them

DCP-J1050DW | Page 3

Copy

Copy Speed sESAT
11.5 mono /4.0 colour ipm

Copy Speed FCOT®
10.5 secs mono /
22.5 secs colour

Resolution
(horizontal x vertical)/Mono
Print: Max. 1200 x 1800 dpi
Scan: Max. 1200 x 1200 dpi

Resolution
(horizontal x vertical)/Color
Print: Max. 1200 x 1800 dpi
Scan: Max. 1200 x 600 dpi

Multiple Copy
Up to 99

Multi Copy/Sort
Yes

Reduction/Enlargement (%)
25 - 400 in 1% increments

N in 1
2in1/2in1(ID)/4in1

Poster
Yes (3x3, 2X2, 2x1)

Scan

Scanner Type
CIS (Contact Image Sensor)

Colour & Mono Scanning
Yes

**Scan speed (Mono/Color)
*@100dpi**
A4: 3.35s/4.38s
LTR: 3.15s/4.16s

Resolution (horizontal x vertical)/Optical
FB: 1200 x 2400 dpi

Resolution (horizontal x vertical)/Interpolated
For Windows 7/Windows 8/
Windows 10, up to 19200 x
19200 dpi with Scanner Utility

**Multi-page Scan to Single
PDF files (Firm/PC)**
Yes (iPS Desktop Only)

Auto Crop (Firm/PC)
Yes (TWAIN only)

**Document Scanning width/
length**
FB: 213.9mm (8.42in)/ 295mm
(11.61in)

Color Depth (Input/Output)
Color Depth
30bit color Processing (Input)
24 bit color Processing (Output)
/256 levels per color
Gray Scale
10bit color Processing (Input)
8bit color Processing (Output)
/256 levels

Scan Functions

Scan to/Image
Yes

Scan to/Email
Yes

Scan to/File
Yes

Scan Drivers

Windows®
TWAIN & WIA
Windows®
Windows® 10
Windows® 8
Windows® 11

Macintosh⁷
TWAIN
macOS 10.8.x or greater

Connectivity

USB Interface

Hi-Speed USB 2.0

Wireless LAN (2.4GHz)

Yes

Wi-Fi Direct

Yes

Brother Mobile Connect⁷

print

scan

copy preview

machine settings

AirPrint

Yes

Mopria⁷

Yes

Brother Print Service Plugin⁷

Yes

Cloud

Web Connect

(Connect with 3rd party services)

Yes

Apps

(Brother original services)

Yes

Network & Security

Wireless Network

IEEE 802.11b/g/n
(Infrastructure)

IEEE 802.11g/n
(Wi-Fi Direct)

Wireless Security

SSID (32 chr), WEP 64/128bit,
WPA-PSK(TKIP/AES), WPA2-
PSK(TKIP/AES)

Wireless Certification

Wi-Fi Certification Mark
License (WPA™/WPA2™ -
Enterprise, Personal),
Wi-Fi Protected Setup (WPS)
Identifier Mark License,
Wi-Fi CERTIFIED Wi-Fi Direct

Wireless Network Security

SSL/TLS (IPPS, HTTPS),
802.1x (EAP-FAST, PEAP, EAP-
TLS, EAP-TTLS)

IP Filter

IPv4

Protocols (IPv4)

ARP, RARP, BOOTP,
DHCP, APIPA(Auto IP),
WINS/NetBIOS name
resolution, DNS Resolver,
mDNS, LLMNR responder,
LPR/LPD, Custom Raw Port/
Port9100, IPP, SNMPv1/v2c,
TFTP server, ICMP, Web
Services (Print/Scan), SNTP
Client, HTTP Server.

Protocols (IPv6)

NDP, RA, mDNS, LLMNR
Responder, DNS Resolver,
LPR/LPD, Custom Raw Port/
Port9100, IPP, SNMPv1/v2c,
TFTP server, Web Services
(Print/Scan), SNTP Client,
ICMPv6, HTTP Server

Network Management

BRAdmin Windows Only
(by download)

Embedded Web Server (EWS)

Yes

(Recommend Browser:
Internet Explorer 11/Edge
(for Windows), Safari 10/11
(for Mac), Chrome (for Android),
Chrome/Safari (for iOS)
Recommend OS: 4.x or later
(for Android), 10.x or later
(for iOS))

Supplies and Accessories

Note: product is shipped with
LC421 cartridges

Standard Yield⁸

LC421BK – 200 pages

LC421 C/M/Y – 200 pages

High Yield⁸

LC421XLBK – 500 pages

LC421XL C/M/Y – 500 pages

Duty Cycle

Recommended monthly volume⁹

50 to 1,000 pages

Maximum Monthly Volume⁹

Up to 2,500 pages

Dimensions	Carton Dimension W 477 x D 228 x H 457mm	Machine Dimensions W 400 x D 343 x H 151mm	
	Carton Weight 8.6kg	Machine Weight 6.9kg	
Environment	Power Consumption Copying Mode: Approx. 13W Ready Mode: Approx. 3W Sleep Mode: Approx. 0.7W Off: Approx 0.2	Sound Pressure Level (Operating) PC Printing (Color/Mono: 53.5dB(A) (Approx.)	Sound Power Level (Printing) Mono: 6.64B(A) Color: 6.25B(A)
		FB Copy (Colour/Mono: 53.0dB(A) (Approx.)	

1. Based on ISO/IEC 24734
2. Based ISO/IEC 17629
3. Windows & Mac Only
4. Windows Only
5. Based on ISO/IEC 29183
6. Based on ISO/IEC 24735
7. Optional Download
8. Approx declared yield value in accordance with ISO/IEC 24711
9. Maximum number of printed pages per month can be used to compare designed durability between like Brother products.
For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements
10. Based on ISO/IEC17991



Working with you for a better environment
 At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.
www.brotherearth.com

All specifications correct at the time of printing and are subject to change.
 Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.