

POH-1620, 16-Port High Power PoE Midspan Hub, Budget: 400W, up to 30W per port

Product Images





Short Description

- Auto-detection and protection of non-standard PoE devices
- 10/100 /1000 Mbps wire speed transmission and reception
- Total PoE power budget: 400W, up to 30W per port

Description

LevelOne POH-1620 16 GE PoE Hub is equipped with 16 RJ-45 ports featuring PoE function to eliminate the bulky power cable need while implementing your network infrastructure thus allowing greater flexibility in the locating of network devices and significantly decreasing installation casts. Easy to Use the compact 19", IU rack-mountable design enables the switch to be easily located in a server room in order to centralize power management and simplify network integration for various applications. For all the functions featured in POH-1620 users can get the benefits of flexible network solutions that can simplify the installation of wireless access points, IP cameras, IP phone and other devices or applications in the network.

Additional Information

Port Configuration

Max. operating humidity (%) 95 40 Max. operating temperature (°C)

Indicators Power Link PoE 19" rack mount Mount Pin assignment and polarity 1/2 (+), 3/6 (-)

Power output 400

IEEE 802.3 10Base-T Ethernet IEEE 802.3u 100Base-TX Standards

Fast Ethernet IEEE 802.3ab 1000Base-T Gigabit Ethernet

IEEE802.3af for POE IEEE802.3at for POE+

16*10/100/1000Mbps Data-in, 16*10/100/1000Mbps

PoE-out

Product weight (kg) 6 440 Product breadth (mm) Product depth (mm) 235 Product height (mm) 43 Color Black

EAN 4015867228821 Model number POH-1620 Package contents Power cord

Grade Commercial

Data Rate Fast and Gigabit Ethernet

Data rate 10/100/1000 Mbps

<20W without PoE output Power consumption

