XEROX[®] VERSALINK[®] PRINTERS AND MULTIFUNCTION PRINTERS

Evaluator Guide







Table of Contents

This Evaluator Guide introduces you to the Xerox[®] VersaLink[®] Printers and Multifunction Printers and explains their key features and performance advantages.

INTRODUCING XEROX® CONNECTKEY® TECHNOLOGY

3 Overview

INTRODUCING OUR VERSALINK FAMILY OF PRODUCTS

4 Overview

EVALUATING WORKGROUP PRINTERS AND MULTIFUNCTION PRINTERS

- 5 Count On It
- 10 Well Connected
- 12 Make It Yours
- 13 Introducing Xerox® VersaLink Printers and Multifunction Printers

SPECIFICATIONS, CONFIGURATION SUMMARIES AND OPTIONS

AWARDS

23 Xerox[®] ConnectKey Awards

- 14 Xerox® VersaLink® B400 Printer and B405 Multifunction Printer
- 15 Xerox[®] VersaLink[®] C400 Color Printer and C405 Color Multifunction Printer
- 16 Xerox® VersaLink® C500 Color Printer and C505 Color Multifunction Printer
- 17 Xerox® VersaLink® B600 Printer and B605 Multifunction Printer
- 18 Xerox® VersaLink® B610 Printer and B615 Multifunction Printer
- 19 Xerox® VersaLink® C600 Color Printer and C605 Color Multifunction Printer
- 20 Xerox® VersaLink® B7025/ B7030/B7035 Multifunction Printer
- 21 Xerox® VersaLink® C7000 Color Printer
- 22 Xerox® VersaLink® C7020/ C7025/C7030 Color Multifunction Printer

2 Xerox® VersaLink® Printers and Multifunction Printers Evaluator Guide

Xerox[®] Connectkey[®] Technology—the nexus of your complete productivity ecosystem

Today's workplace has evolved beyond the ability of any single machine to fulfill productivity needs of the modern, mobile, always connected workforce. It's time to stop thinking about printers as stand-alone, task-specific workhorses, and start demanding more up-to-date, useful—and useable—solutions.



INTUITIVE USER EXPERIENCE

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

MOBILE AND CLOUD READY

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

BENCHMARK SECURITY

Comprehensive multi-level protection for intrusion, device, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

ENABLES NEXT GENERATION SERVICES

Work more efficiently and manage resources more effectively. Easy integration of Xerox[®] Managed Print Services enables remote monitoring of service delivery and consumables, plus remote configuration for even more time savings.

GATEWAY TO NEW POSSIBILITIES

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at **www.connectkey.com**.

Xerox[®] VersaLink[®] Family of Products

The Perfect Assistant for Every Office

The VersaLink family of products offers a truly compelling value with an affordable total cost of ownership. The innovative functionality built into each product extends its value beyond the printer and multifunction printer (MFP), and maximizes your investment by enabling greater freedom to get work done on your terms.



COUNT ON IT

VersaLink devices consistently and flawlessly deliver the performance and reliability that even the most demanding offices rely on to get their work done more efficiently.

VersaLink devices offer complete dependability through both reliability and benchmark security.

- Highly dependable—hardware and software reliability
- Hassle-free productivity
- Solid data security to safeguard customers' data, delivering the security capabilities that every type of business demands today.
- Inspire confidence—it just works every time
- Simplified device installation and management, without the need for IT support



WELL CONNECTED

Connect to what you want, how you want. Wherever your work takes you, Xerox gives you the freedom and convenience to work when you want, where you want, with the devices you use every day.

In line with the shift toward mobile device reliance, VersaLink devices meet the expectation of the most advanced office technologies.

- Enable mobile workers to leverage the capabilities of printers and MFPs in the manner that works best for them (secure mobile connectivity)
- Extend traditional MFP functionality to mobile platforms with the Xerox® Mobile Link App
- Connect users to the services they use today, such as cloud repositories and popular third-party apps (speed up information sharing and streamline multistep workflows)



MAKE IT YOURS

VersaLink devices provide a balance of simplicity and efficiency, presented in a familiar and comfortable interface that makes accomplishing tasks intuitive. It means less time learning and more time doing.

VersaLink product design intent is heavily influenced by ongoing changes in workforce behavior.

- Highly intuitive user experience strikes a balance between simplicity and efficiency with the ability to personalize and customize for each user
- Range of useful built-in apps with the ability to add more (build your own)
- Blending the expected performance of today's devices with the unique needs of using a printer or MFP

Reliable, productive and easy to use. With Xerox[®] VersaLink[®] printers and multifunction printers, you'll consistently and flawlessly perform the tasks that make your business work more efficiently.

RELIABLE

With a range of features and functionality you'll use every day, VersaLink devices take reliability and workplace efficiency to a new level of ease and automation right out of the box.

- Xerox® Standard Accounting. Manage, track and report device usage to control print quantities and chargeback options for print, scan, copy and fax. Advanced solutions are available for Network Accounting from Xerox Business Innovation Partners, delivering even more helpful tools, such as ID and proximity card systems for larger office environments.
- **Duplex printing.** With automatic two-sided printing (standard on DN configurations), multi-page print jobs are automatically printed on the front and back side of each sheet of paper for increased efficiency and reduced paper usage.
- Single-Pass Duplex Automatic Document Feeder. With many of our VersaLink multifunction printers, you can get even more reliability and longevity with fewer moving parts on our Single-Pass Duplex Automatic Document Feeder (DADF).
- Auto-Color Scanning (ACS). This feature allows the device controller to check if the document is color or black-and-white, and then adjust accordingly.

- Genuine Xerox® supplies. Using genuine Xerox® toner in your VersaLink printer or multifunction printer will ensure that prints are delivered with consistent quality and keep your device running at optimal level and free from damage by inferior thirdparty supplies. Testing conducted by independent printer evaluation laboratories proved genuine Xerox® supplies are more reliable and deliver up to 27% higher page yields than aftermarket alternatives. When non-Xerox® supplies are detected by the device, a warning screen will appear informing the customer that genuine Xerox® supplies were not detected.
- Automated supplies notification and ordering. Customers enrolling or participating in one of the excellent metered or managed print service programs get the added benefit of Automated Supplies Replenishment (ASR). With ASR, our VersaLink devices can automatically talk to our ordering systems, giving you a Xerox virtual administrator that continuously watches over your fleet so you don't have to—at no extra cost. No need to react when the device tells you that toner is running low. The ASR service will instantly put in an order for the supplies, without human intervention.
- Front of device access. Customer replaceable toner cartridges are especially easy to replace on VersaLink devices. No need to rotate or move the device when performing routine maintenance tasks.

- Remote Service Functionality. Users can perform troubleshooting and diagnostics right from their computer, eliminating multiple trips to the printer or multifunction printer. Troubleshooting hints and tips are also provided to the user, right at the device UI, keeping the device up and running without additional trips.
- Remote Services Upgrade. Using this feature, administrators can perform firmware upgrades to VersaLink printers and multifunction printers from a central location, rather than traveling to the actual site of the device.
- ENERGY STAR[®] qualified. VersaLink printers and multifunction printers meet the stringent ENERGY STAR requirements for energy use and the EPEAT[®] comprehensive environmental rating system.
- Certifications and sustainability. At Xerox, we work to ensure that our devices meet or exceed standards so that Xerox[®] devices are engineered in an environmentally smart and sustainable way. Learn more by visiting www.xerox.com/environment.
- Energy management. With Cisco EnergyWise[®], enabled by Xerox[®] Power MIB (Management Information Base), you can control, manage and report your device's power consumption information, and set optimal power states and timeout intervals.

(CONTINUED)

PRODUCTIVE

Revolutionize your workflow—and get more done—with time-saving productivity enhancers and new capabilities that work without additional IT investment.

- Print Around. Print Around is an automatically enabled feature that eliminates print bottlenecks and directs print job flow. If a job needs resources, (such as mismatched media type, color or size), other print jobs will go around the held job. This keeps jobs moving when there is an issue with one print job.
- Consistent operation across products. A common look and feel across all VersaLink devices makes it easy and intuitive for users to go from one Xerox[®] product to another without additional training.
- LAN Fax. Use this feature to send faxes directly from your PC without printing the document or going to your Xerox[®] multifunction printer. Through the driver for the multifunction printer, you can send a document via fax to other fax machines. This feature requires the installation of Walk-up Fax.
- Fax Forward to Email. When sending and/ or receiving faxes, this feature allows a copy of the fax to be forwarded to an email address; enabling archiving as well as saving paper retrieval and distribution time.
- Print from and Scan to USB. Conveniently print your document directly from your USB device or scan your document directly to it, right from the main screen of the user interface.

- Digitize your current paper-based workflows. VersaLink multifunction printers can scan documents to create textsearchable PDFs and single and multi-page PDFs for easy archiving, organizing and searching. This is made possible with built-in optical character recognition (OCR), a critical component in digitizing any paper-based workflow.
- True multi-tasking. With this feature, VersaLink multifunction printers can copy, print, fax and scan at the same time. There is no wasted time for walkup users at the device and all jobs are held in the same queue.
- Scan and Fax Preview. With VersaLink multifunction printers, users can ensure accuracy by previewing the scanned file before sending it. This feature also allows users to rotate pages, as well as add additional pages to the scan or fax prior to sending.
- Common Driver Platform. VersaLink printers and multifunction printers include common print drivers, which feature clear graphical user interfaces that provide for easy, intuitive interaction with the device. The drivers provide immediate desktop access to all Xerox[®] device output functions, as well as bidirectional information, indicating device and job status, currently loaded paper sizes and types, and installed options, eliminating the need to consult other software for information. Easy-tounderstand icons access the most commonly used functions, such as paper selection and document finishing. With the Saved Settings feature, frequently used print job parameters can be stored for reuse.

- Xerox® Global Print Driver®. This truly universal print driver lets IT administrators install, upgrade and manage Xerox® and non-Xerox® devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls and simplifying print services management.
- Concurrent wired and wireless support. VersaLink devices support both an Ethernet connection and a Wi-Fi® connection (via an optional wireless network adapter) at the same time. VersaLink printers and MFPs can then be discovered via Apple® AirPrint® or Mopria® Print Service, even when connected to the wired network. This also allows you to make the printer or MFP available to guest users via Wi-Fi Direct®, even when your guests are not connected to your wireless network.
- Scan to App. This feature provides access to all scan destinations and features in one, easy-to-find location at the touchscreen UI.
- Xerox® ConnectKey® for DocuShare®. Scan files directly into Xerox® DocuShare® folders from your VersaLink multifunction printer. This workflow solution automatically converts documents into intelligent, structured data with easy file naming and routing tools.
- Earth-smart printing. Our innovative Earth Smart feature in our print drivers allows you to reduce costs while choosing the most environmentally sensitive options for your print jobs.

(CONTINUED)

INSTALLATION

With Xerox[®] VersaLink[®] devices, you're ready to go—hassle free—right out of the box, even in environments with little-to-no IT support.

- Initial Install Wizard. Installation is easy with the initial install wizard that provides step-by-step instructions and configuration options right from the user interface. This wizard guides users through settings from basic to advanced settings.
- Customer Replaceable Units. We engineered our VersaLink printers and multifunction printers with a simplified design so you can stay up and running. Easily and quickly replace components, such as the imaging drum or toner cartridge.
- Driver deployment. Print and scan drivers can be deployed centrally, eliminating the need for IT staff to perform desk-to-desk manual installation of the driver software. In many cases, existing Xerox® drivers on your network can work with your new hardware, potentially saving the step of updating your driver software. Wizards provided within Xerox® CentreWare® Web aid in installing, troubleshooting and upgrading your driver software, freeing up your IT staff for more pressing projects. The Xerox[®] Global Print Driver[®] supports Xerox[®] and non-Xerox[®] devices on the network, eliminating the need for other print drivers and saving hours of downtime.

• Configure once, apply fleet wide.

VersaLink device configurations can be cloned and distributed to all similar devices on your network, eliminating the need to configure and manage each device individually. Cloning can be completed using several different methods. Users can utilize the Embedded Web Server or there are a variety of managed print services tools for customers enrolled in a managed service program.

- Embedded Web Server. Allows networked users to connect to their printer or multifunction printer via any standard web browser to install print drivers, monitor printer status, view the print job queue, manage settings and properties, and access troubleshooting and support resources.
- LDAP Mapping. LDAP servers display different results depending on how they implement mappings. You can complete simple email address searches with LDAP and Scan to Email jobs. Our full integration is the differentiator. Our LDAP Mapping integrates with the address book, User Permissions and Scan to Home. In addition, this feature automatically suggests contacts by searching the device address book and LDAP as characters are entered.
- Xerox[®] CentreWare Web Software. This free, device management solution for IT makes it easy to install, configure, manage, monitor and pull reports from networked and multifunction printers throughout an enterprise, regardless of the manufacturer.
- A help desk at your fingertips. Get quick, easy, step-by-step troubleshooting assistance with embedded help videos right on the user interface.
- Xerox® Remote Print Services with install wizard. Customers enrolling or participating in one of our metered or managed print service programs get the added benefit of Automated Supplies Replenishment (ASR). Save time with our suite of remote services, and let us manage your devices for you. This includes:
 - Xerox[®] MeterAssistant[®] Service.
 Automates the process of collecting and submitting meter reads for tracking and billing of Xerox[®] device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time.
 - Xerox[®] SuppliesAssistant[®] Service.
 Automatically orders supplies for Xerox[®] output devices based on actual usage, eliminating the need to manually manage supplies inventory.

• On-demand reset to factory defaults. To ensure the security of your data, VersaLink devices can be fully reset back to a factory state.

INTRODUCING TOUCHSCREEN SUPERIORITY

Meet our tiltable, capacitive color touchscreen—the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with our VersaLink printers and multifunction printers get more work done, faster.



View a demo of our VersaLink device touchscreen at www.xerox.com/ VersaLinkUIDemo.

(CONTINUED)

SECURITY: A HOLISTIC PROTECTION FOR YOUR PRINTER OR MULTIFUNCTION PRINTER.

Xerox has long ago recognized and embraced this shift in technology and the evolving needs of the workplace. We offer a comprehensive set of security features to keep your printers and your data safe. Xerox secures every part of the data chain, including print, copy, scan, fax, file downloads and system software. There are four key aspects to our multilayered approach.

Intrusion Prevention

ConnectKey Technology utilizes a comprehensive set of capabilities that prevents malicious attacks, the proliferation of malware, and misuse of/unauthorized access to the printer, whether from transmitted data or direct interaction at the device.

All possible access points are secure, including the user interface and input ports accessible to walkup users as well as PC, server, mobile devices or cloud connections.

Device Detection

Xerox[®] ConnectKey[®] Technology runs a comprehensive Firmware Verification test, either at start-up or when activated by authorized users. This provides alerts if any harmful changes to the printer have been detected.

Document and Data Protection

Our comprehensive security measures don't stop with preventing unauthorized access to your printer and securing your information from the inside. ConnectKey Technology provides capabilities to prevent intentional or unintentional transmission of critical data to unauthorized parties.

From protecting printed materials by not releasing documents until the right user is at the device, to preventing scanned information reaching beyond its intended recipient, ConnectKey Technology offers the safeguards you need to keep your most critical data assets safe and secure.

Xerox also protects all your stored information, using the highest levels of encryption. You can delete any processed or stored data that is no longer required using National Institute of Standards and Technology (NIST), and U.S. Department of Defense approved data clearing and sanitization algorithms^{*}.

External Partnerships

ConnectKey Technology provides extra security standards. We measure our performance against international standards with certifications like Common Criteria and FIPS 140-2 to ensure our devices are trusted in even the most secure environments.

* Applies to devices with hard disk drives only



Intrusion Prevention



Device Detection



Document & Data Protection



External Partnerships

(CONTINUED)

VERSALINK SECURITY FEATURES

Xerox[®] VersaLink[®] devices include the following features, technologies and solutions to ensure your data and network is kept secure.

- Secure Print with print queue deletion. With this feature, users are required to enter a passcode at the device to release a job or can delete jobs from their queue. That means fewer documents are unnecessarily printed and left at the device.
- Hard Disk and SSD encryption. This feature effectively safeguards your data from unauthorized access while it's being processed, transmitted or stored in the printer or multifunction printer.
- Protect your information. With Immediate Image Overwrite, the VersaLink C400 Color Printer and VersaLink C405 Color Multifunction Printer can automatically erase image data from the device after each job.
- Secure Email with TLS 1.2. Securely scan and send email to third-party mail service providers with Transport Layer Security (TLS). With this security feature, your VersaLink multifunction printer will keep emails safe and free from unauthorized access.

- Stay compliant with regulations. Our VersaLink devices comply with the latest security standards, including the Federal Information Processing Standard (FIPS) 140-2, Department of Defense (DoD) Security standards and undergo the full-system Common Criteria (undergoing evaluation) certification process. Controls are available to match your security needs and conform to any standards across industries, government, finance and healthcare.
- Password Protected PDF. Users have the option to encrypt PDF files with a password when using the Scan to Email service on VersaLink multifunction printers. This technology provides protection outside of your firewall, securing data in an unsecure environment using industry-standard protocols such as Secure PDF.
- Role-based permissions. Assign different levels of access to users in environments where Administrator-level security isn't necessary.
- Prevent attacks. VersaLink devices give administrators the ability to set lockout limits for users logging in. For example, if the administrator sets a limit of three attempts and all three fail, that user will be locked out for a set period of time. This prevents automated dictionary-style attacks to gain access.
- Audit Logs. Track access and activity by document, user and function on VersaLink printers and multifunction printers. The Audit Log is disabled by default; it can be enabled and disabled in the Embedded Web Server.

- Common Access Card Support (CAC/PIV). This ensures secure printing using Common Access Card (CAC)/Personal Identity Verification (PIV) card technologies and attaches the print-job sender's identity certificate to the print job. At the device, the user must authenticate with the user's CAC/PIV card before releasing the job.
- USB card-based authentication. VersaLink devices can be upgraded with optional solutions to deliver even greater cost control capabilities. They support many USB card-based authentication technologies that enable users to log into the device using a proximity card, student ID or security card, providing a secure method of authentication, tracking usage and billing.
- Authentication, authorization and accounting (AAA). VersaLink devices support a robust set of features that help you control access, enforce policies, monitor usage and obtain information so you can bill for services.
- Print User ID in the print margin. With this feature, user information is printed in the margin of the first page to quickly help users identify which pages are theirs, as well as eliminating costly and wasteful banner pages.
- Xerox® Print Management and Mobility Suite, Xerox® Print Management and Mobility Service. This is a modular set of workflows designed to save customers time and money by providing effective control over their print fleet, while enabling worker productivity and mobility through a set of robust workflows. Xerox enables ultimate customer flexibility by offering these capabilities in both an on-premises server version and with a cloud based-version of this solution.

Well Connected

Mobile-ready and cloud-connected. The office of the future is here today. Xerox[®] VersaLink[®] printers and multifunction printers enable the advanced connectivity mobile workforces need to collaborate, share and process the documents and information that keep your business running.

MOBILITY

VersaLink devices provide unprecedented mobile access from any device, with multiple connectivity options and no complicated setup.

Standard Mobility Solutions

- Apple[®] AirPrint[®]. With AirPrint, you can print emails, photos and important office documents directly from your favorite Apple devices, including iPhone[®], iPad[®] and your Mac®. Additionally, Mac users can scan via AirPrint. With AirPrint, your iPhone, iPad or Mac automatically locates and connects to the AirPrint-enabled device over your Wi-Fi® and/or Ethernet network. For enhanced security and controllable printing, Apple AirPrint offers accounting support as well as IPP attributes, which enables more complicated finishing options and print settings, such as two-sided printing, page range, quantity and color or black-andwhite.
- Mopria® Print Service. This allows Android[™] device users to easily and wirelessly discover and print to Mopriacertified Xerox® and non-Xerox® printers or multifunction printers without installing drivers or downloading additional apps or software. As a founding member of the Mopria Alliance, Xerox continues to shape innovation in the mobile printing arena and ensures that both our current and future technologies are keeping up with the ever-evolving mobile landscape.
- Wi-Fi Network Adapter (Wi-Fi Kit). With this optional hardware, you can easily set up and place your VersaLink printer or multifunction printer anywhere you need it without costly additional network reconfiguration and wiring.

- Xerox® Mobile Link App. This free app allows you to scan, email and fax from your Android or iOS-based mobile device to VersaLink multifunction printers and send data to and print data from cloud storage. Downloaded from the Google Play™ Store or Apple App Store, Mobile Link resides on your mobile device. Once installed, easily create Mobile Link one-touch workflows between a mobile device and a VersaLink Multifunction printer. Use a manual address or allow automatic device discovery to find and pair your mobile device with a nearby Xerox® multifunction printer.
- Xerox® Mobile Express Driver®. This feature makes it easy for mobile users to find, use and manage Xerox® and non-Xerox® devices in every new location. Plug into a new network, and Xerox® Mobile Express Driver automatically discovers available printers and provides status and capability information. Save a list of "favorite" printers for each location, store application print settings for use on any printer in any network and greatly reduce mobile support calls to IT.
- NFC Tap-to-Pair. With Near Field Communications (NFC) Tap-to-Pair, users can simply tap their Android device to a VersaLink printer or multifunction printer to establish a direct connection. Once established, printing is handled using a wireless connection if the optional wireless network adapter has been installed. If the wireless network adapter is not installed, printing is handled via the Ethernet network. This feature allows for greater security and results in less waste as users are in direct proximity to the device. ¹



- Wi-Fi Direct[®]. This ensures that you can print to VersaLink printers and multifunction printers from your mobile device without having to connect to a network. Adding the optional wireless network adapter enables this connection and allows for both an Ethernet connection and Wi-Fi Direct connection to be enabled at the same time.
- Xerox® Print Service Plug-in for Android™. This unique, full-featured plug-in for KitKat (4.4 or greater) devices streamlines mobile printing without third-party apps or additional print drivers. After downloading this free plug-in from the Google Play™ Store, you can easily print photos, Web pages and documents when your mobile device is connected to VersaLink multifunction printers using a wireless network. Robust printing options include color or black-and-white printing, number of copies, paper orientation, two-sided printing, stapling, Secure Print/ Secure Code Release and more.
- **TWAIN scanning push and pull.** This feature further simplifies network TWAIN scanning by allowing users to pull the scan back to their PC without the need for a password.
- ¹ If the Wireless network Adapter is not present, print jobs submitted from an Android device will route via Ethernet only if the customer has configured their network appropriately.

Well Connected

(CONTINUED)

Advanced Mobility Solutions

- Xerox® Mobile Print. We offer many options that enable secure, accurate printing from most mobile devices to any printer or multifunction printer, regardless of brand, making it easy to print Microsoft® PowerPoint®, Word and other standard files from wireless and mobile devices. Our IT-friendly optional capabilities include PIN code access and multiple mobile operating systems. Whether off site or on site, learn why we are the only choice for today's mobile professionals by visiting www.xerox.com/mobile.
 - Choose Xerox[®] Mobile Print Solution with an on-site server for your internal network, or behind your network's firewall for added control and higher volume use.
 - Choose Xerox[®] Mobile Print Cloud to easily manage local and remote locations, and control visitors' printing access. Mobile Printing through the

cloud is offered as a free service or a more advanced for-fee solution. The Basic version offers a ConnectKey® App resident on the user panel and enables a simple email to the cloud to pull print jobs to the multifunction printer. The Enhanced version offers the app with a Mobile Print Cloud license, providing convenient authentication that locks and unlocks a device, via a mobile app, without authentication cards.



Visit **www.xerox.com/MobileDemo** to view a demo of the Xerox[®] Mobile Print Solution.

CLOUD

Reach new heights of mobile productivity with cloud-ready apps that keep your workforce connected from any location.

- Support for Google Cloud Print™ 2.0. Xerox® VersaLink printers and multifunction printers are enabled with secure cloud printing, an ideal solution for workers on the go. Securely and directly connect and register with the Google Cloud Print service and your smartphone, tablet, laptop or traditional desktop device will always be available wherever you are. No need to install and maintain print drivers or additional software.
- Cloud connections. VersaLink multifunction printers come standard with embedded apps, such as DropBox[™], Microsoft[®] OneDrive[®] and Google Drive[™] online storage service so users can easily print from and scan to the locations they use every day.



For more information, go to www.xerox.com/MobileLink.

Apple[®] AirPrint[®] and Xerox[®] Print Service Plug-in for Android[™] are standard/free-of-charge protocols for Apple iOS, Android and Xerox[®] ConnectKey[®]-enabled devices. Xerox[®] Mobile Print is an add-on software product that allows users to print to Xerox[®] print devices.

Make It Yours

Time-saving apps and a personalized user experience. Be prepared to interact with VersaLink[®] printers and multifunction printers in a whole new way. Create customized workflows with easy-to-use apps and configure your interface to keep the functions you use most front and center.

APPS

VersaLink multifunction printers come preloaded with mobile-like apps that simplify common tasks and allow for easy customization. Download additional apps based on your business needs, or engage our partners to build new business-specific apps to reduce complicated workflows to singletouch simplicity.

- Xerox[®] ConnectKey[®] Apps and Xerox App Gallery. With the touch of a button, you can go to our Xerox App Gallery and download these lightweight, serverless apps to your VersaLink printer or multifunction printer to increase user productivity and shorten everyday tasks. ConnectKey Apps empower you to easily customize your workflow with apps such as @PrintByXerox, Xerox[®] Easy Translator Service and Xerox[®] Healthcare MFP¹.
- Xerox® App Studio. Customize your workflow even further by having your partner or reseller use the Xerox® App Studio tool to build new ConnectKey Apps for your business. Scan and send documents to multiple locations at the same time, or create information apps that communicate business-critical information, such as promotions, business updates, marketing campaigns and more—right at the user interface. The possibilities are limitless.
- Native apps. VersaLink multifunction printers have ready-to-use embedded apps preloaded on the device that allow you to easily scan your documents and send them to DropBox[™], Google Drive[™] or Microsoft[®] OneDrive[®] without tedious setup.

- Xerox Extensible Interface Platform®. Our VersaLink printers and multifunction printers come equipped with an open platform that is customizable to fit your work environment and needs. This key unlocks your ability to simplify everyday tasks that make the MFP easier to use and allows the MFP to run third-party solutions that enable an even more tailored workflow.
- Xerox® Easy Translator Service. This service allows customers to scan a document and receive a translated print of the document or email notification. Users can also send a digital image from a mobile device or a PC that is forwarded for translation. This is offered for both iOS and Android[™] devices. For more information, visit https://xeroxtranslates.com.

PERSONALIZATION

Configure your VersaLink printers and multifunction printers to make the user experience personal by machine, fleet, workgroup or individual.

• Familiar app-style user interface. Our VersaLink printers and multifunction printers feature a user interface that behaves much like the mobile devices we're all accustomed to using. To simplify the user interface even further, a highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center.

- Customized UI Support. Customize and simplify each user's experience by moving and hiding icons based on user logins and creating presets for common workflows. Users can access the functions they use most with just one touch.
- Unified Address Book. The unified address book lets you seamlessly import your existing contacts and roll them out to multiple VersaLink multifunction printers.
- Intelligent Search. This feature allows users to type in the first few letters of a contact's name and then the VersaLink device will suggest contacts which meet similar search criteria.
- Jobs service. Easily manage jobs and view their status from the Xerox® Embedded Web Server, print driver or device front panel. Our clear graphical interfaces provide for easy, intuitive interaction with the printer or multifunction printer.
- Application defaults. Adjust settings for specific applications, such as always printing Microsoft[®] PowerPoint[®] files 2-up and in black-and-white.
- Maintain control. With User Permissions, you can restrict access to print features by user, group, time of day and application. To limit color printing, you simply select a rule that makes all Microsoft® Outlook® emails automatically print in black-and-white and in duplex mode.
- Feature Access Control. This feature allows administrators to control costs by limiting features to certain users and makes it easier for those users to see only the services they use.

¹ Xerox[®] Healthcare MFP is available in the U.S. only.

Introducing Xerox[®] VersaLink[®] Printers and Multifunction Printers



Specifications, Configuration Summaries and Options

XEROX® VERSALINK® B400 PRINTER AND B405 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B400N	VersaLink B400DN		VersaLink B405DN		
Speed	Up to 47 ppm letter/Up to 45 ppm A	4				
Duty Cycle ¹	Up to 110,000 pages/month ¹					
Processor/Memory	1.05 GHz Dual Core/2 GB					
Connectivity	Ethernet 10/100/1000 Base-T, High- supported), NFC Tap-to-Pair	speed USB 3.0, Wi-Fi 802.11n and Wi-I	i Direct with optional	Wi-Fi Kit (concurrent wired and wireless connections		
Controller Features	Unified Address Book (B405), Config	uration Cloning, Scan Preview (B405), ed from the user interface and print dri	Xerox Extensible Inter ver)	face Platform®, Xerox App Gallery, Xerox® Standard		
Paper Handling Paper Input Standard	NA			Reversing Automatic Document Feeder (RADF): 60 sheets; Custom sizes: 5.5 x 5.5 in. (140 x 140 mm) to 8.5 x 14 in. (216 x 356 mm)		
	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm					
		zes: 5.8 x 8.3 in. to 8.5 x 14 in./148 x 21				
ptional	3 Additional Trays: Up to 550 shee	ts each; Custom sizes: 5.8 x 8.3 in. to 8	5 x 14 in./148 x 210 m	ım to 216 x 356 mm		
, otal Capacity (std./max.)	700 sheets/2,350 sheets					
aper Output	250 sheets					
utomatic Two-sided Output	N/A	Standard				
rint and Copy esolution	Print: Up to 1200 x 1200 dpi (enhan			Print: Up to 1200 x 1200 dpi (enhanced) Copy: Up to 600 x 600 dpi		
irst-page-out Time as fast as)	Print: As fast as 8 seconds			Print: As fast as 8 seconds Copy: As fast as 6 seconds		
age Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/H	HP-GL/Adobe [®] PostScript [®] 3™				
NTUITIVE USER EX						
ustomize and Personalize		lome Screen by User, Multiple Home S	creens with Simple ID,	Customize by Site, Function or Workflow with Xerox App		
rint Drivers		tus, Job Monitoring, Xerox® Global Prin	t Driver® and Mobile E	xpress Driver®		
erox [®] Embedded Web Server	PC or mobile—Status Information, F	Responsive Design, Settings, Device Ma	inagement, Cloning			
eview	NA		<u> </u>	Preview of Scan/Fax with Zoom, Rotate, Add Pag		
rint Features	Print from USB, Secure Print, Sample Driver Settings, Bi-directional Real-ti	e Set, Personal Print, Saved Job, Xerox® me Status, Scaling, Job Monitoring, Ap	Earth Smart Driver Set plication Defaults, Tw	ttings, Job Identification, Booklet Creation, Store and Recc o-sided Printing (as default), Skip Blank Pages, Draft Mode		
ican and Fax	NA			Scan to USB/Email/Network (FTP/SMB), Scan Fil Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenier Features: Scan to Home, Searchable PDF, Single/ Multi-Page PDF/XPS/TIFF/Password Protected P Fax Features: Walk-up Fax includes LAN Fax, Dir Fax, Fax Forward to Email), Unified Address Bool Optical Character Recognition (OCR)		
MOBILE AND CLOUD	READY					
lobile Printing	Apple [®] AirPrint ^{®4} , Google Cloud Prin	t™ Ready, Xerox® Print Service and Mor	oria® Print Service Plug	i-ins for Android™		
lobility Options	@PrintByXerox ² , Xerox [®] Mobile Print Visit www.xerox.com/officemobile	and Mobile Print Cloud ³ , Connect via Neapps for available apps.	VFC/Wi-Fi Direct Printi	ng³, Xerox [®] Mobile Link App (B405) ³ .		
loud Connectors ³	Print from/Scan to ⁵ Google Drive™, N	licrosoft® OneDrive®, Dropbox™, Micro	soft Office 365 [®] , Box [®]	, Xerox® DocuShare® and more		
ENCHMARK SECURI	ТҮ					
letwork Security	IPsec, HTTPS, encrypted email. Netw	vork Authentication, SNMPv3, SSL/TLS	, Security Certificates,	Automatic Self-Signed Certificate		
Device Access	Firmware Verification, User access an (CAC/PIV/.NET), Xerox® Integrated C		ering, Audit Log, Acce	ss Controls, User Permissions, Smart Card Enabled		
Data Protection	Setup/Security Wizards, Job Level En Common Criteria Certification (ISO	cryption via HTTPS/IPPS submission, E 15408) (undergoing evaluation)	ncrypted hard disk (A	ES 256-bit, FIPS 140-2),		
Document Security	Secure Print, Secure Fax (B405), Secu	ure Scan (B405), Secure Email (B405), I	Password Protected PE	DF (B405)		
NABLES NEXT GENE	RATION SERVICES					
rint Management		ility Suite ³ , Configuration Cloning, Xera	x® Standard Accounti	ng, Equitrac³, Y Soft³ and more		
lanaging Print	Xerox [®] Device Manager, Xerox [®] Sup	port Assistance, Auto Meter Read, Mar	aged Print Services to	ols		
ustainability	Cisco EnergyWise®, Earth Smart Prin	ting, Print User ID on margins				
ATEWAY TO NEW P	DSSIBILITIES					
loud Services	Xerox [®] Easy Translator (B405) ³ , Xero	x® Healthcare MFP (B405 – U.S. only)³	many additional serv	ices available		
erox App Gallery	-		-	on of Xerox $^{\scriptscriptstyle (\! 0\!)}$ apps available for adding functions to the		
	ted in any one month. Not expected to b le.com for AirPrint Certification list; ⁵ Sca		nal download from Xero	x App Gallery to the Printer—www.xerox.com/xeroxappgaller		
Certifications To view the latest list of certifica		<mark>ions</mark> -sheet Feeder (B400)	497K13620	¹ Average standard pages. Declared Yield in accordance with I: IEC 19752. Yield will vary based on image, area coverage and		

Certifications		Options		Average standard pages. Declared field in accordance with 150/
To view the latest list of certifications, go to		550-sheet Feeder (B400)	497K13620	IEC 19752. Yield will vary based on image, area coverage and
www.xerox.com/OfficeCertifications		550-sheet Feeder (B405)	497K13630	print mode.
Supplies Standard Capacity Toner Cartridge: 5,900 pages ¹ High Capacity Toner Cartridge: 13,900 pages ¹ Extra High Capacity Toner Cartridge:	106R03580 106R03582	Productivity Kit with 16 GB Solid State Drive Stand Wireless Network Adapter (Wi-Fi Kit) External Card Reader/RFID Kit (B400) Internal Card Reader/RFID Kit (B405)	097S04913 497K13660 497K16750 497K18380 497K18120	² Approximate pages. Declared yield based on an average job size of 3 A4-/letter-size pages. Yield will vary depending on job run length and media size and orientation.Configurations vary by geography.
24,600 pages ¹	106R03584			
Drum Cartridge: 65,000 pages ²	101R00554			

For more detailed specifications, go to www.xerox.com/VersalinkB400Specs or www.xerox.com/VersalinkB405Specs.

XEROX® VERSALINK® C400 COLOR PRINTER AND C405 COLOR MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink C400/N	VersaLink C400/DN	VersaLink C405/N	VersaLink C405/DN
Speed	Up to 36 ppm color and black-an	d-white (Letter)/35 ppm color and blo	ck-and-white (A4)	
Duty Cycle ¹	Up to 80,000 pages/month ¹			
Processor/Memory	1.05 GHz Dual-Core/2 GB			
Connectivity	Ethernet 10/100/1000 Base-T, H supported), NFC Tap-to-Pair	igh-speed USB 3.0, Wi-Fi 802.11n and	Wi-Fi Direct with optional Wi-Fi Kit (co	oncurrent wired and wireless connections
Controller Features		nfiguration Cloning, Scan Preview (C4) ssed from the user interface and print		n®, Xerox App Gallery, Xerox® Standard
Paper Handling Paper Input Standard	NA		Single-pass Duplex Automo Custom Sizes: 5.5 x 5.5 in. to	atic Document Feeder (DADF): 50 sheets: 8.5 x 14 in./140 x 140 mm to 216 x 356 mm
	Bypass Tray: 150 sheets; Custon	n sizes: 3 x 5 in. to 8.5 x 14 in./76 x 12	7 mm to 216 x 356 mm	
	Tray 1: 550 sheets; Custom sizes	5.8 x 8.3 in. to 8.5 x 14 in./148 x 210	mm to 216 x 356 mm	
Optional	Tray 2: 550 sheets; Custom sizes	5.8 x 8.3 in. to 8.5 x 14 in./148 x 210	mm to 216 x 356 mm	
Paper Output	250 sheets			
Automatic Two-sided Printing	N/A	Standard	N/A	Standard
Print and Copy Resolution	Print: Up to 600 x 600 x 8 dpi		Print: Up to 600 x 600 x 8 dp	bi; Copy: Up to 600 x 600 dpi
First-print-out Time	As fast as 13 seconds color/12 se	conds black-and-white		
First-copy-out Time	As fast as 11 seconds color/8 seconds	onds black-and-white		
Page Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPE	G/HP-GL/Adobe [®] PostScript [®] 3™		
INTUITIVE USER EX	PERIENCE	· · · · ·		
Customize and Personalize	Walkup customization, Personaliz Gallery and Xerox® App Studio	e Home Screen by User, Multiple Hor	ne Screens with Simple ID, Customize b	by Site, Function or Workflow with Xerox App
Print Drivers	Job Identification, Bi-directional	Status, Job Monitoring, Xerox® Global	Print Driver [®] and Mobile Express Drive	۲ [®]
Xerox [®] Embedded Web Server		n, Responsive Design, Settings, Devic	•	
Preview	NA		Preview of Scan/Fax with Zoc	om, Rotate, Add Page
Print Features				dentification, Booklet Creation, Store and Recall ting (as default), Skip Blank Pages, Draft Mode
Scan and Fax	NA		JPEG, TIFF; Convenience Fea Multi-Page PDF/XPS/TIFF/Pa	(FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, tures: Scan to Home, Searchable PDF, Single/ ssword Protected PDF, Fax Features: Walk-up Fc , Fax Forward to Email), Unified Address Book, in (OCR)
MOBILE AND CLOUD	READY			
Mobile Printing	Apple [®] AirPrint ^{®4} , Google Cloud F	Print™ Ready, Xerox® Print Service and	Mopria® Print Service Plug-ins for Andr	roid™
Mobility Options	11 5	int and Mobile Print Cloud ³ , Connect	via NFC/Wi-Fi Direct Printing ³ , Xerox [®] N	
Cloud Connectors ³	Print from/Scan to ⁵ Google Drive	™, Microsoft® OneDrive®, Dropbox™, N	licrosoft Office 365 [®] , Box [®] , Xerox [®] Doc	cuShare® and more
BENCHMARK SECURI	5			
Network Security		letwork Authentication, SNMPv3, SSL	/TLS, Security Certificates, Automatic S	Self-Signed Certificate
Device Access		s and internal firewall, Port/IP/Domai		User Permissions, Smart Card Enabled (CAC/
Data Protection	Setup/Security Wizards, Job Leve Criteria Certification (ISO 15408)		on, Encrypted hard disk (AES 256-bit, F	IPS 140-2) and image overwrite, Common
Document Security	Secure Print, Secure Fax (C405), S	Secure Scan (C405), Secure Email (C40)5), Password Protected PDF (C405)	
ENABLES NEXT GENE	RATION SERVICES			
Print Management	Xerox [®] Print Management and M	lobility Suite ³ , Configuration Cloning,	Xerox [®] Standard Accounting, Equitrac ³	³ , Y Soft ³ and more
Managing Print		upport Assistance, Auto Meter Read,		
Sustainability	Cisco EnergyWise®, Earth Smart I	11	5	
GATEWAY TO NEW P				
Cloud Services		erox® Healthcare MFP (C405 – U.S. o	nly)³, many additional services available	e
Xerox App Gallery				apps available for adding functions to the

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ³ Purchased option; ⁴ Visit www.apple.com for AirPrint Certification list; ⁵ Scan to available for C405.

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications Supplies Extra High Capacity Print Cartridges: Black: 10,500 pages std. pages ¹ Cyan: 8,000 pages std. pages ¹ Magenta: 8,000 pages std. pages ¹	106R03524 106R03526 106R03527	Standard Capacity Print Cartridges: Black: 2,500 pages std. pages ¹ Cyan: 2,500 pages std. pages ¹ Magenta: 2,500 pages std. pages ¹ Yellow: 2,500 pages std. pages ¹ Routine Maintenance Items: Imaging Unit (includes 4 imaging units): 60,000 std. pages each ²	106R03500 106R03502 106R03503 106R03501	Options 550-sheet Feeder Productivity Kit with 320 GB HDD Stand Wireless Network Adapter (Wi-Fi Kit) External Card Reader/RFID Kit (C400) Internal Card Reader/RFID Kit (C405) ¹ Average standard pages. Declared Yield in acco	
Yellow: 8,000 pages std. pages ¹ High Capacity Print Cartridges: Black: 5,000 pages std. pages ¹ Cyan: 4,800 pages std. pages ¹ Magenta: 4,800 pages std. pages ¹ Yellow: 4,800 pages std. pages ¹	106R03525 106R03512 106R03514 106R03515 106R03513	Waste Cartridge: 30,000 std. pages ²	108R01124	IEC 19798. Yield will vary based on image, area mode. ² Approximate pages. Declared yield based on ar 3 A4-/letter-size pages. Yield will vary depending and media size and orientation.	n average job size of

For more detailed specifications, go to www.xerox.com/VersalinkC400Specs or www.xerox.com/VersalinkC405Specs.

XEROX® VERSALINK® C500 COLOR PRINTER AND C505 COLOR MULTIFUNCTION PRINTER

Speed Duty Cycle ¹ Processor/Memory/Hard Drive Connectivity Controller Features Paper Handling Paper Input Standar Option Paper Output Standar Automatic Two-sided Output Copy and Print Resolutio First-page-out Time (as fast as) Page Description Languages INTUITIVE USER EXI Customize and Personalize	Ethernet 10/100/1000 Base-T, High supported), NFC Tap-to-Pair Unified Address Book (CS05), Confi Xerox® Standard Accounting, Onlin d NA Bypass Tray: Up to 150 sheets; Cu: Tray 1: Up to 550 sheets; Custom s al Up to 4 Additional Trays: Up to 5 High Capacity Feeder: Up to 2,00 d 500 sheets N/A n Print: Up to 1200 x 2400 dpi Print: As fast as 10 seconds color/8 PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG PERIENCE	DD h-speed USB 3.0, Wi-Fi 802.11n an guration Cloning, Scan Preview (C e Support stom sizes: 3 x 5 in. to 8.5 x 14 in./ izes: 3 x 7.5 in. to 8.5 x 14 in./76 x 50 sheets; Custom sizes: 3 x 7.5 in. 10 sheets; 8.5 x 11 in. to 8.27 x 11.6 Standard .5 seconds black-and-white /HP-GL/Adobe® PostScript® 3™	d Wi-Fi Direct with optional Wi-Fi Kit (concurrent 505), Xerox Extensible Interface Platform®, Xero Single-Pass Duplex Automatic Doo Custom sizes: 5.5 x 8 in. to 8.5 x 14 in. 76 x 127 mm to 216 x 356 mm	x App Gallery, Cument Feeder (DADF): 100 sheets; /140 x 203 mm to 216 x 356 mm Jp to 600 x 400 dpi jeconds black-and-white
Processor/Memory/Hard Drive Connectivity Controller Features Paper Handling Paper Input Standar Option Paper Output Standar Automatic Two-sided Output Copy and Print Resolutio First-page-out Time (as fast as) Page Description Languages INTUITIVE USER EXI	 1.05 GHz/2 GB/optional 250 GB HE Ethernet 10/100/1000 Base-T, High supported), NFC Tap-to-Pair Unified Address Book (C505), Confi Xerox® Standard Accounting, Online MA Bypass Tray: Up to 150 sheets; Cur Tray 1: Up to 550 sheets; Custom s al Up to 4 Additional Trays: Up to 5 High Capacity Feeder: Up to 2,00 d 500 sheets N/A Print: Up to 1200 x 2400 dpi Print: As fast as 10 seconds color/8 PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG PE RIENCE Walkup customization, Personalize 	n-speed USB 3.0, Wi-Fi 802.11n an guration Cloning, Scan Preview (C e Support stom sizes: 3 x 5 in. to 8.5 x 14 in./ izes: 3 x 7.5 in. to 8.5 x 14 in./76 x 50 sheets; Custom sizes: 3 x 7.5 in. 10 sheets; 8.5 x 11 in. to 8.27 x 11.6 Standard .5 seconds black-and-white /HP-GL/Adobe® PostScript® 3™	d Wi-Fi Direct with optional Wi-Fi Kit (concurrent 505), Xerox Extensible Interface Platform®, Xero Single-Pass Duplex Automatic Doc Custom sizes: 5.5 x 8 in. to 8.5 x 14 in. 76 x 127 mm to 216 x 356 mm 190 mm to 216 x 356 mm 216 x 356 mm to 216 x 356 mm 59 in./216 x 356 mm to 210 x 297 mm 400 sheets Print: Up to 1200 x 2400 dpi; Copy: U Print: As fast as 9 seconds color/8.5 s	wired and wireless connections x App Gallery, cument Feeder (DADF): 100 sheets; /140 x 203 mm to 216 x 356 mm Jp to 600 x 400 dpi jeconds black-and-white
Connectivity Controller Features Paper Handling Paper Input Standar Optione Paper Output Standar Automatic Two-sided Output Copy and Print Resolutio First-page-out Time (as fast as) Page Description Languages INTUITIVE USER EXI	Ethernet 10/100/1000 Base-T, High supported), NFC Tap-to-Pair Unified Address Book (C505), Confi Xerox® Standard Accounting, Onlin d NA Bypass Tray: Up to 150 sheets; Cur Tray 1: Up to 550 sheets; Custom s al Up to 4 Additional Trays: Up to 5 High Capacity Feeder: Up to 2,00 d 500 sheets N/A n Print: Up to 1200 x 2400 dpi Print: As fast as 10 seconds color/8 PCL® Se/PCL 6/PDF/XPS/TIFF/JPEG PE RIENCE Walkup customization, Personalize	n-speed USB 3.0, Wi-Fi 802.11n an guration Cloning, Scan Preview (C e Support stom sizes: 3 x 5 in. to 8.5 x 14 in./ izes: 3 x 7.5 in. to 8.5 x 14 in./76 x 50 sheets; Custom sizes: 3 x 7.5 in. 10 sheets; 8.5 x 11 in. to 8.27 x 11.6 Standard .5 seconds black-and-white /HP-GL/Adobe® PostScript® 3™	d Wi-Fi Direct with optional Wi-Fi Kit (concurrent 505), Xerox Extensible Interface Platform®, Xero Single-Pass Duplex Automatic Doc Custom sizes: 5.5 x 8 in. to 8.5 x 14 in. 76 x 127 mm to 216 x 356 mm 190 mm to 216 x 356 mm 216 x 356 mm to 216 x 356 mm 59 in./216 x 356 mm to 210 x 297 mm 400 sheets Print: Up to 1200 x 2400 dpi; Copy: U Print: As fast as 9 seconds color/8.5 s	wired and wireless connections x App Gallery, cument Feeder (DADF): 100 sheets; /140 x 203 mm to 216 x 356 mm Jp to 600 x 400 dpi jeconds black-and-white
Controller Features Paper Handling Paper Input Standar Optione Paper Output Standar Automatic Two-sided Output Copy and Print Resolutio First-page-out Time (as fast as) Page Description Languages INTUITIVE USER EXI	supported), NFC Tap-to-Pair Unified Address Book (C505), Confi Xerox® Standard Accounting, Onlin d NA Bypass Tray: Up to 150 sheets; Cur Tray 1: Up to 550 sheets; Curstom s al Up to 4 Additional Trays: Up to 5 High Capacity Feeder: Up to 2,00 d 500 sheets N/A n Print: Up to 1200 x 2400 dpi Print: As fast as 10 seconds color/8 PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG PE RIENCE Walkup customization, Personalize	guration Cloning, Scan Preview (C e Support stom sizes: 3 x 5 in. to 8.5 x 14 in./ izes: 3 x 7.5 in. to 8.5 x 14 in./76 x 50 sheets; Custom sizes: 3 x 7.5 in. 10 sheets; 8.5 x 11 in. to 8.27 x 11.6 Standard .5 seconds black-and-white /HP-GL/Adobe® PostScript® 3™	505), Xerox Extensible Interface Platform [®] , Xero Single-Pass Duplex Automatic Doc Custom sizes: 5.5 x 8 in. to 8.5 x 14 in. 76 x 127 mm to 216 x 356 mm 190 mm to 216 x 356 mm 100 mm to 216 x 356 mm 100 mm to 216 x 356 mm 100 mm to 216 x 356 mm 400 sheets Print: Up to 1200 x 2400 dpi; Copy: U Print: As fast as 9 seconds color/8.5 s	x App Gallery, cument Feeder (DADF): 100 sheets; /140 x 203 mm to 216 x 356 mm Jp to 600 x 400 dpi jeconds black-and-white
Paper Handling Paper Input Standar Optione Paper Output Standar Automatic Two-sided Output Copy and Print Resolutio First-page-out Time (as fast as) Page Description Languages INTUITIVE USER EXI	Xerox® Standard Accounting, Onlin Xerox® Standard Accounting, Onlin NA Bypass Tray: Up to 150 sheets; Custom s Image: Tray 1: Up to 550 sheets; Custom s Up to 4 Additional Trays: Up to 5 High Capacity Feeder: Up to 2,00 500 sheets N/A Print: Up to 1200 x 2400 dpi Print: As fast as 10 seconds color/8 PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG PERIENCE Walkup customization, Personalize	e Support stom sizes: 3 x 5 in. to 8.5 x 14 in./ izes: 3 x 7.5 in. to 8.5 x 14 in./76 x 50 sheets; Custom sizes: 3 x 7.5 in. 10 sheets; 8.5 x 11 in. to 8.27 x 11.6 Standard 3.5 seconds black-and-white /HP-GL/Adobe® PostScript® 3™	Single-Pass Duplex Automatic Doc Custom sizes: 5.5 x 8 in. to 8.5 x 14 in. 76 x 127 mm to 216 x 356 mm 190 mm to 216 x 356 mm 190 mm to 216 x 356 mm 59 in./216 x 356 mm 400 sheets Print: Up to 1200 x 2400 dpi; Copy: U Print: As fast as 9 seconds color/8.5 s	Cument Feeder (DADF): 100 sheets; /140 x 203 mm to 216 x 356 mm
Paper Input Standar Option Paper Output Standar Automatic Two-sided Output Copy and Print Resolutio First-page-out Time (as fast as) Page Description Languages INTUITIVE USER EXI	Bypass Tray: Up to 150 sheets; Cur Tray 1: Up to 550 sheets; Custom s al Up to 4 Additional Trays: Up to 5 High Capacity Feeder: Up to 2,00 d 500 sheets n Print: Up to 1200 x 2400 dpi Print: As fast as 10 seconds color/8 PCL® Se/PCL 6/PDF/XPS/TIFF/JPEG PE RIENCE Walkup customization, Personalize	izes: 3 x 7.5 in. to 8.5 x 14 in./76 x 50 sheets; Custom sizes: 3 x 7.5 in. 10 sheets; 8.5 x 11 in. to 8.27 x 11.6 Standard .5 seconds black-and-white /HP-GL/Adobe® PostScript® 3™	Custom sizes: 5.5 x 8 in. to 8.5 x 14 in. 76 x 127 mm to 216 x 356 mm 190 mm to 216 x 356 mm . to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm 59 in./216 x 356 mm to 210 x 297 mm 400 sheets Print: Up to 1200 x 2400 dpi; Copy: U Print: As fast as 9 seconds color/8.5 s	/140 x 203 mm to 216 x 356 mm Jp to 600 x 400 dpi jeconds black-and-white
Paper Output Standar Automatic Two-sided Output Copy and Print Resolutio First-page-out Time (as fast as) Page Description Languages INTUITIVE USER EXI	Tray 1: Up to 550 sheets; Custom s al Up to 4 Additional Trays: Up to 5 High Capacity Feeder: Up to 2,00 d 500 sheets N/A n Print: Up to 1200 x 2400 dpi Print: As fast as 10 seconds color/8 PCL® Se/PCL 6/PDF/XPS/TIFF/JPEG PE RIENCE Walkup customization, Personalize	izes: 3 x 7.5 in. to 8.5 x 14 in./76 x 50 sheets; Custom sizes: 3 x 7.5 in. 10 sheets; 8.5 x 11 in. to 8.27 x 11.6 Standard .5 seconds black-and-white /HP-GL/Adobe® PostScript® 3™	190 mm to 216 x 356 mm to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm 59 in./216 x 356 mm to 210 x 297 mm 400 sheets Print: Up to 1200 x 2400 dpi; Copy: U Print: As fast as 9 seconds color/8.5 s	econds black-and-white
Paper Output Standar Automatic Two-sided Output Copy and Print Resolutio First-page-out Time (as fast as) Page Description Languages INTUITIVE USER EXI	High Capacity Feeder: Up to 2,00 d 500 sheets N/A Print: Up to 1200 x 2400 dpi Print: As fast as 10 seconds color/8 PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG PERIENCE Walkup customization, Personalize	00 sheets; 8.5 x 11 in. to 8.27 x 11.6 Standard 8.5 seconds black-and-white /HP-GL/Adobe® PostScript® 3™	59 in./216 x 356 mm to 210 x 297 mm 400 sheets Print: Up to 1200 x 2400 dpi; Copy: U Print: As fast as 9 seconds color/8.5 s	econds black-and-white
Automatic Two-sided Output Copy and Print Resolutio First-page-out Time (as fast as) Page Description Languages INTUITIVE USER EXI	N/A Print: Up to 1200 x 2400 dpi Print: As fast as 10 seconds color/8 PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG PERIENCE Walkup customization, Personalize	5 seconds black-and-white /HP-GL/Adobe® PostScript® 3™	Print: Up to 1200 x 2400 dpi; Copy: U Print: As fast as 9 seconds color/8.5 s	econds black-and-white
Copy and Print Resolutio First-page-out Time (as fast as) Page Description Languages INTUITIVE USER EXI	n Print: Up to 1200 x 2400 dpi Print: As fast as 10 seconds color/8 PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG PERIENCE Walkup customization, Personalize	5 seconds black-and-white /HP-GL/Adobe® PostScript® 3™	Print: As fast as 9 seconds color/8.5 s	econds black-and-white
First-page-out Time (as fast as) Page Description Languages INTUITIVE USER EXI	Print: As fast as 10 seconds color/8 PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG PERIENCE Walkup customization, Personalize	/HP-GL/Adobe [®] PostScript [®] 3™	Print: As fast as 9 seconds color/8.5 s	econds black-and-white
(as fast as) Page Description Languages INTUITIVE USER EXI	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG PERIENCE Walkup customization, Personalize	/HP-GL/Adobe [®] PostScript [®] 3™	Print: As fast as 9 seconds color/8.5 s Copy: As fast as 7 seconds color/5 se	econds black-and-white conds black-and-white
INTUITIVE USER EXI	PERIENCE Walkup customization, Personalize			
	Walkup customization, Personalize			
Customize and Personalize				
		Home Screen by User, Multiple Ho	ome Screens with Simple ID, Customize by Site, F	unction or Workflow with Xerox App
Print Drivers	Job Identification, Bi-directional Sta	atus, Job Monitoring, Xerox® Glob	al Print Driver® and Mobile Express Driver®	
Xerox [®] Embedded Web Serve	er PC or mobile—Status Information,	Responsive Design, Settings, Devi	ice Management, Cloning	
Preview	NA		Preview of Scan/Fax with Zoom, Rota	te, Add Page
Print Features	Print from USB, Secure Print, Sampl Driver Settings, Bi-directional Real-	le Set, Personal Print, Saved Job, X time Status, Scaling, Job Monitorii	erox® Earth Smart Driver Settings, Job Identificating, Application Defaults, Two-sided Printing (as c	tion, Booklet Creation, Store and Recall default), Skip Blank Pages, Draft Mode
Scan	NA		Scan File Formats: PDF, PDF/A, XPS, J	Scan to USB/Email/Network (FTP/SMB) PEG, TIFF; Convenience Features: Scan t Page PDF/XPS/TIFF/Password Protected
Fax	NA		Fax Features (C505/X only): Walk-up Forward to Email)	Fax (includes LAN Fax, Direct Fax, Fax
MOBILE AND CLOUD	READY			
Mobile Printing	Apple [®] AirPrint ^{®4} , Google Cloud Pri	nt™ Ready, Xerox® Print Service an	d Mopria® Print Service Plug-ins for Android™	
Mobility Options	@PrintByXerox ² , Xerox [®] Mobile Prin Visit www.xerox.com/officemobil		t via NFC/Wi-Fi Direct Printing³, Xerox® Mobile L	ink App (C505) ³ .
Cloud Connectors ³	Print from/Scan to ⁵ Google Drive™,	Microsoft [®] OneDrive [®] , Dropbox [™] ,	Microsoft Office 365 [®] , Box [®] , Xerox [®] DocuShare [®]	[®] and more
BENCHMARK SECURI	ТҮ			
Network Security	IPsec, HTTPS, encrypted email. Net	twork Authentication, SNMPv3, SS	L/TLS, Security Certificates, Automatic Self-Sign	ed Certificate
Device Access	Firmware Verification, User access of (CAC/PIV/.NET), Integrated Card Re	and internal firewall, Port/IP/Dome eader Bay	ain Filtering, Audit Log, Access Controls, User Per	missions, Smart Card Enabled
Data Protection	Setup/Security Wizards, Job Level E Criteria Certification (ISO 15408) (u		sion, Encrypted hard disk (AES 256-bit, FIPS 140	-2) and image overwrite, Common
Document Security	Secure Print, Secure Fax (C505/X), S	Secure Scan (C505), Secure Email	(C505), Password Protected PDF (C505)	
ENABLES NEXT GENE	RATION SERVICES			
Print Management	Xerox [®] Print Management and Mol	bility Suite ³ , Configuration Cloning	g, Xerox® Standard Accounting, Equitrac³, Y Soft³	and more
Managing Print	Xerox [®] Device Manager, Xerox [®] Sup	pport Assistance, Auto Meter Read	d, Managed Print Services tools	
Sustainability	Cisco EnergyWise®, Earth Smart Pri	nting, Print User ID on margins		
GATEWAY TO NEW PO	DSSIBILITIES			
Cloud Services	Xerox [®] Easy Translator (C505) ³ , Xer	ox® Healthcare MFP (C505 – U.S.	only)³, CapturePoint™ (C505)³, many additional s	ervices available
Xerox App Gallery	Many apps and cloud services avail Printer/MFP.	lable. Visit www.xerox.com/appg	gallery for a growing selection of Xerox® apps av	ailable for adding functions to the

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ³ Purchased option; ⁴ Visit www.apple.com for AirPrint Certification list; ⁵ Scan to available for C505.

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications Supplies Standard Capacity Toner Cartridges: Black: 5,000 pages ⁶ Cyan: 2,400 pages ⁶ Magenta: 2,400 pages ⁶ Yellow: 2,400 pages ⁶ High Capacity Toner Cartridges: Black: 12,100 pages ⁶ Cyan: 5,200 pages ⁶	106R03862 106R03859 106R03860 106R03861 106R03869 106R03863	Extra High Capacity Toner Cartridges: Cyan: 9,000 pages ⁶ Magenta: 9,000 pages ⁶ Yellow: 9,000 pages ⁶ Cyan Drum Cartridge: 40,000 pages ⁷ Magenta Drum Cartridge: 40,000 pages ⁷ Yellow Drum Cartridge: 40,000 pages ⁷ Black Drum Cartridge: 40,000 pages ⁷ Black Drum Cartridge: 30,000 pages ⁷ State Cartridge: 30,000 pages ⁷ Options 550-sheet Feeder High Capacity Feeder	106R03866 106R03867 106R03867 108R01481 108R01482 108R01483 108R01484 108R01416 097504949 097504948	Stand/Casters (included with High Capacity Feeder and Cabinet) Productivity Kit with 250 GB HDD Wireless Network Adapter (Wi-Fi Kit) External Card Reader / RFID Kit Internal Card Reader / RFID Kit ⁶ Average standard pages. Declared Yield in accordan IEC 19798. Yield will vary based on image, area cove print mode. ⁷ Approximate pages. Declared yield based on an o of 3 A4-/letter-size pages. Yield will vary dependin length and media size and orientation.	erage and average job size
Cyan: 5,200 pages ⁶ Magenta: 5,200 pages ⁶ Yellow: 5,200 pages ⁶	106R03863 106R03864 106R03865	High Capacity Feeder Cabinet	097S04948 097S04955	Configurations vary by geography.	

For more detailed specifications, go to www.xerox.com/VersaLinkC500Specs or www.xerox.com/VersaLinkC505Specs.

XEROX® VERSALINK® B600 PRINTER AND B605 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersαLink B600 Printer DN, DT, DX, DXF, DXP	VersaLink B605 Multifunction Printer S, X, SF, SP, XF, XP, XTF, XTP
Speed	Up to 58 ppm letter/Up to 55 ppm A4	
Duty Cycle ¹	Up to 250,000 pages/month ¹	
Processor/Memory/Hard Drive	1.05 GHz ARM Dual Core/2 GB/Optional 250 GB HDD	1.05 GHz ARM Dual Core/2 GB/250 GB HDD
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi E supported), NFC Tap-to-Pair) irect with optional Wi-Fi Kit (concurrent wired and wireless connections
Controller Features	Unified Address Book (B605), Configuration Cloning, Scan Preview (B605), Xe Accounting, Online Support (accessed from the user interface and print driver	rox Extensible Interface Platform [®] , Xerox [®] App Gallery, Xerox [®] Standard)
Paper Handling Paper Input Standard	NA	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm
uper input standard	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm	mm to 216 x 356 mm
Optional		
	High Capacity Feeder (Standard on DX, DXF and DXP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4	High Capacity Feeder (Standard on XTF and XTP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4
Paper Output Standard		400 sheets without finishing options; 500 sheets with finishing options
Optional		Finisher (Standard on SF, XF, XTF; not available on S, X, SP, XP, XTP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on SP, XP, XTP, not available on S, X, SF, XF, XTF): Four 100-sheet bins
Automatic Two-sided Output	Standard	
Copy and Print Resolution	Print: Up to 1200 x 1200 dpi	Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi
First-page-out Time	Print: As fast as 6.3 seconds	Print: As fast as 7.5 seconds; Copy: As fast as 5.8 seconds from the Platen
Page Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]	
INTUITIVE USER EX	XPERIENCE	
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home Scree Gallery and Xerox $^{\otimes}$ App Studio	ens with Simple ID, Customize by Site, Function or Workflow with Xerox App
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print D	Priver® and Mobile Express Driver®
Kerox [®] Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Mana	agement, Cloning
Preview	NA	Preview of Scan/Fax with Zoom, Rotate, Add Page
Print Features		rth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recal cation Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode
Scan	NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/ SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF
Fax ²	NA	Fax Features (B605/X, XF, XP, XTF only): Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)
MOBILE AND CLOUI	DREADY	
Mobile Printing	Apple® AirPrint ^{®5} , Google Cloud Print [™] Ready, Xerox [®] Print Service and Moprie	a® Print Service Plug-ins for Android™
Mobility Options	@PrintByXerox ³ , Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC Visit www.xerox.com/officemobileapps for available apps.	C/Wi-Fi Direct Printing ⁴ , Xerox [®] Mobile Link App (B605) ³ .
Cloud Connectors ³	Print from/Scan to ⁶ Google Drive™, Microsoft® OneDrive®, Dropbox™, Microso	ft Office 365 [®] , Box [®] , Xerox [®] DocuShare [®] and more
BENCHMARK SECUR	ITY	
Network Security	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, S	ecurity Certificates, Automatic Self-Signed Certificate
Device Access	Firmware Verification, User access and internal firewall, Port/IP/Domain Filter (CAC/PIV/.NET), Xerox $^{\otimes}$ Integrated Card Reader Bay	ing, Audit Log, Access Controls, User Permissions, Smart Card Enabled
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (undergoing evaluation)	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common
Document Security	Secure Print, Secure Fax (B605), Secure Scan (B605), Secure Email (B605), Pas	ssword Protected PDF (B605)
ENABLES NEXT GEN	IERATION SERVICES	
rint Management	Xerox [®] Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox [®]	Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more
Aanaging Print	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Manag	ged Print Services tools
Sustainability	Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins	
GATEWAY TO NEW	POSSIBILITIES	
		and a state of the second s
Cloud Services	Xerox® Easy Translator (B605) ⁴ , Xerox® Healthcare MFP (B605 – U.S. only) ⁴ , m	iany additional services available

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications Supplies Standard Capacity Toner Cartridge: Black: 10,300 pages ⁷ High Capacity Toner Cartridge:	106R03940 106R03942	Options 550-sheet Feeder High Capacity Feeder (2,000 sheets) Stand/Cabinet Caster Base Finisher (500 sheets, 50-sheet stapler) 4-Bin Mailbox (100 sheets per bin) Wireless Network Adapter (Wi-Fi Kit)	097S04949 097S04948 097S04955 097S04954 097S04952 097S04953 497K16750	⁷ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode. ⁸ Approximate pages. Declared yield will vary depending on job run length and media size/orientation and machine speed. Configurations vary by geography.
Black: 25,900 pages ⁷ Extra High Capacity Toner Cartridge: Black: 46,700 pages ⁷ Drum Cartridge: 60,000 pages ⁸	106R03942 106R03944 101R00582	Productivity Kit with 250 GB HDD RFID Card Reader Kit	497K18360 497K18380	

For more detailed specifications, go to www.xerox.com/VersaLinkB600Specs or www.xerox.com/VersaLinkB605Specs.

XEROX® VERSALINK® B610 PRINTER AND B615 MULTIFUNCTION PRINTER

DEVICE SPECIFICAT	IONS VersaLink B610 Printer DN, DT, DX, DXF, DXP	VersaLink B615 Multifunction Printer SF, SP, XF, XP, XTF, XTP
Speed	Up to 65 ppm letter/Up to 63 ppm A4	
Duty Cycle ¹	Up to 275,000 pages/month ¹	
Processor/Memory/Hard Drive	Disk 1.05 GHz ARM Dual Core/2 GB/Optional 250 GB HDD	1.05 GHz ARM Dual Core/2 GB/250 GB HDD
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and supported), NFC Tap-to-Pair	d Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections
Controller Features	Unified Address Book (B615), Configuration Cloning, Scan Preview (B6 Accounting, Online Support (accessed from the user interface and pri	615), Xerox Extensible Interface Platform®, Xerox® App Gallery, Xerox® Standard int driver)
Paper Handling Paper Input Sta	ndard NA	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm
	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 8.5 in. to 8.5 x 14 in Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x	
Op	tional Up to 4 Additional Trays (1 Additional Tray standard on B610/DT): U	Jp to 550 sheets each; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 m $$
	High Capacity Feeder (Standard on DX, DXF and DXP): Up to 2,000 Standard sizes: 8.5 x 11 in./A4	sheets; High Capacity Feeder (Standard on XTF, XTP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4
Paper Output Sta	ndard 500 sheets	400 sheets without finishing options; 500 sheets with finishing options
Ор	tional Finisher (Standard on DXF, not available on DXP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on DXP, not available on DXF): Four 100-sheet bir	Finisher (Standard on SF, XF, XTF; not available on SP, XP, XTP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on SP, XP, XTP; not available on SF, XF, XTF): Four 100-sheet bins
Automatic Two-sided Ou	tput Standard	
Copy and Print Resolutio	n Print: Up to 1200 x 1200 dpi	Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi
irst-page-out Time	Print: As fast as 7.1 seconds	Print: As fast as 6.6 seconds; Copy: As fast as 5.4 seconds from the Platen
age Description Langue	ages PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]	
NTUITIVE USE	R EXPERIENCE	
Customize and Personali	ze Walkup customization, Personalize Home Screen by User, Multiple Ho Gallery and Xerox® App Studio	ome Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Globa	al Print Driver® and Mobile Express Driver®
kerox® Embedded Web S	erver PC or mobile—Status Information, Responsive Design, Settings, Devi	ice Management, Cloning
review	NA	Preview of Scan/Fax with Zoom, Rotate, Add Page
Print Features		erox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recal ng, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode
Scan	NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/ SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF
Fax ²	NA	Fax Features (XF, XP, XTF, XTP only): Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)
MOBILE AND CL	OUD READY	
Mobile Printing	Apple [®] AirPrint ^{®5} , Google Cloud Print [™] Ready, Xerox [®] Print Service an	d Mopria® Print Service Plug-ins for Android™
Mobility Options	@PrintByXerox ³ , Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connec Visit www.xerox.com/officemobileapps for available apps.	t via NFC/Wi-Fi Direct Printing⁴, Xerox® Mobile Link App (B615)³.
Cloud Connectors ³	Print from/Scan to ⁶ Google Drive [™] , Microsoft [®] OneDrive [®] , Dropbox [™] ,	Microsoft Office 365®, Box®, Xerox® DocuShare® and more
BENCHMARK SE	CURITY	
Network Security	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SS	iL/TLS, Security Certificates, Automatic Self-Signed Certificate
Device Access	Firmware Verification, User access and internal firewall, Port/IP/Domo (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay	ain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submis Criteria Certification (ISO 15408) (undergoing evaluation)	sion, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common
Document Security	Secure Print, Secure Fax (B615), Secure Scan (B615), Secure Email (B6	15), Password Protected PDF (B615)
NABLES NEXT	GENERATION SERVICES	
Print Management	Xerox [®] Print Management and Mobility Suite ⁴ , Configuration Cloning	g, Xerox® Standard Accounting, Equitrac4, Y Soft4 and more
Janaging Print	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read	d, Managed Print Services tools
	Cisco EnergyWise [®] , Earth Smart Printing, Print User ID on margins	
Sustainability	W POSSIBILITIES	
Sustainability		only) ⁴ , many additional services available

⁵ Visit **www.apple.com** for AirPrint Certification list; ⁶ Scan to available for B615.

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications.		Options 550-sheet Feeder High Capacity Feeder (2,000 sheets)	097S04949 097S04948	⁷ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode.
Supplies Standard Capacity Toner Cartridge: Black: 10,300 pages ⁷	106R03940	Stand/Cabinet Caster Base Finisher (500 sheets, 50-sheet stapler)	097504955 097504955 097504954 097504952	⁸ Approximate pages. Declared yield will vary depending on job run length and media size/orientation and machine speed.
High Capacity Toner Cartridge: Black: 25,900 pages ⁷	106R03940	4-Bin Mailbox (100 sheets per bin) Wireless Network Adapter (Wi-Fi Kit)	097S04953 497K16750	Configurations vary by geography.
Extra High Capacity Toner Cartridge: Black: 46,700 pages ⁷ Drum Cartridge: 60,000 pages ⁸	106R03944 101R00582	Productivity Kit with 250 GB HDD RFID Card Reader Kit	497K18360 497K18380	

For more detailed specifications, go to www.xerox.com/VersaLinkB610Specs or www.xerox.com/VersaLinkB615Specs.

ECIFICATIONS	VersaLink C600 Color Printer N, DN, DT, DX, DXF, DXP	VersaLink C605 Color Multifunction Printer X, XP, XF, XTF, XTP
	Up to 55 ppm letter/Up to 53 ppm A4	
	Up to 120,000 pages/month ¹	
emory/Hard Drive	1.05 GHz/2 GB/optional 250 GB HDD	1.05 GHz/4 GB/standard 250 GB HDD
	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and W supported), NFC Tap-to-Pair	/i-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections
atures	Unified Address Book (C605), Configuration Cloning, Scan Preview (C605 Accounting, Online Support	5), Xerox Extensible Interface Platform®, Xerox App Gallery, Xerox® Standard
lling Standard	NA	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 8 in. to 8.5 x 14 in./140 x 203 mm to 216 x 356 mm
	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190	
Optional	Up to 4 Additional Trays (1 Additional Tray standard on C600/DT): Up	to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm
·	High Capacity Feeder (Standard on DX, DXF, DXP): Up to 2,000 sheets; 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm	High Capacity Feeder (Standard on XTF and XTP): Up to 2,000 sheets; 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm
t Standard	500 sheets	C605X: 400 sheets; C605XP/XF/XTF/XTP: 500 sheets
Optional (Choose One)	Finisher (Standard on DXF, not available on DXP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on DXP, not available on DXF): Four 100-sheet bins	Finisher (Standard on XF and XTF, not available on X, XP, XTP): 500-sheet tray, 50-sheet stapling) Mailbox (Standard on XP and XTP, not available on X, XF, XTF): Four 100-sheet bin
wo-sided Output	Standard (not available on N configuration)	
rint Resolution	Print: Up to 1200 x 2400 dpi	Print: Up to 1200 x 2400 dpi; Copy: Up to 600 x 400 dpi
ut Time	Print: As fast as 8 seconds color and black-and-white	Print: As fast as 10 seconds color and black-and-white Copy: As fast as 7 seconds color/5 seconds black-and-white
tion Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]	
/E USER EXPE	ERIENCE	
nd Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home Gallery and Xerox® App Studio	Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App
	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global P	rint Driver® and Mobile Express Driver®
edded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device I	Management, Cloning
	NA	Preview of Scan/Fax with Zoom, Rotate, Add Page
S	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerov Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, J	x® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode
	NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF
	NA	Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)
AND CLOUD R	EADY	•
ng	Apple [®] AirPrint ^{®4} , Google Cloud Print [™] Ready, Xerox [®] Print Service and M	Iopria® Print Service Plug-ins for Android™
ions	@PrintByXerox ² , Xerox [®] Mobile Print and Mobile Print Cloud ³ , Connect via Visit www.xerox.com/officemobileapps for available apps.	
ectors ³	Print from/Scan to ⁵ Google Drive™, Microsoft® OneDrive®, Dropbox™, Mic	crosoft Office 365®, Box®, Xerox® DocuShare® and more
urity	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/T	15 Security Certificates Automatic Self-Signed Certificate
s		Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled
ion		n, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common
ecurity	Secure Print, Secure Fax (C605), Secure Scan (C605), Secure Email (C605) Password Protected PDF (C605)
	ATION SERVICES	
ement	Xerox [®] Print Management and Mobility Suite ³ , Configuration Cloning, Xe	erox® Standard Accounting Equitrac ³ Y Soft ³ and more
int	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, M	
y	Cisco EnergyWise [®] , Earth Smart Printing, Print User ID on margins	
,		
		y) ³ . CapturePoint™ (C605) ³ . many additional services available
TONEWPOS es allery olume capacity exper		ery for a growing selection

Certifications		Extra High Capacity Toner Cartridges:		550-sheet Feeder	097S04949
To view the latest list of certifications, go to		C600: Black: 16,900 pages ⁶	106R03919	High Capacity Feeder	097S04948
www.xerox.com/OfficeCertifications		C600: Cyan: 16,800 pages ⁶	106R03916	Cabinet	097S04955
Supplies and Options		C600: Magenta: 16,800 pages ⁶	106R03917	Stand/Casters (included with High Capacity	
		C600: Yellow: 16,800 pages ⁶	106R03918	Feeder and Cabinet)	097S04954
Standard Capacity Toner Cartridges:	10000000	C605: Black: 16,900 pages ⁶	106R03931	Productivity Kit with 250 GB HDD	497K18360
Black: 6,000 pages ⁶	106R03899	C605: Cyan: 16,800 pages ⁶	106R03928	Wireless Network Adapter (Wi-Fi Kit)	497K16750
Cyan: 6,000 pages ⁶	106R03896	C605: Magenta: 16,800 pages ⁶	106R03929	External Card Reader / RFID Kit (C600)	497K18380
Magenta: 6,000 pages ⁶ Yellow: 6,000 pages ⁶	106R03897 106R03898	C605: Yellow: 16,800 pages ⁶	106R03930	Internal Card Reader / RFID Kit (C605)	497K18120
High Capacity Toner Cartridges: Black: 12,200 pages ⁶ Cyan: 10,100 pages ⁶ Magenta: 10,100 pages ⁶ Yellow: 10,100 pages ⁶	106R03903 106R03900 106R03901 106R03902	Cyan Drum Cartridge: 40,000 pages ⁷ Magenta Drum Cartridge: 40,000 pages ⁷ Yellow Drum Cartridge: 40,000 pages ⁷ Black Drum Cartridge: 40,000 pages ⁷ Waste Cartridge: 30,000 pages ⁷	108R01485 108R01486 108R01487 108R01488 108R01416	⁶ Average standard pages. Declared Yield in accordan 19798. Yield will vary based on image, area coverage ⁷ Approximate pages. Declared yield based on an a of 3 A4-/letter-size pages. Yield will vary dependir length and media size and orientation. Configurations vary by geography.	and print mode. Iverage job size

For more detailed specifications, go to www.xerox.com/VersaLinkC600Specs or www.xerox.com/VersaLinkC605Specs.

XEROX® VERSALINK® B7025/B7030/B7035 MULTIFUNCTION PRINTER

Up to 25 ppm	Up to 30 ppm	Up to 35 ppm				
Up to 107,000 pages	Up to 129,000 pages	Up to 153,000 pages				
ry 320 GB HDD ² /1.05 GHz Dual-core/2	320 GB HDD²/1.05 GHz Dual-core/2 GB memory					
Ethernet 10/100/1000 Base-T, High-	speed USB 3.0, Wi-Fi $^{\circ}$ and Wi-Fi Direct $^{\circ}$ with optiona	al Wi-Fi Kit				
5	5	atform®, Xerox App Gallery, Xerox® Standard Accounting,				
ution Copy: Up to 600 x 600 dpi; Print: Up	o to 1200 x 1200 dpi					
as) As fast as 6.8 seconds	As fast as 5.4 seconds	As fast as 5.4 seconds				
As fast as 10.4 seconds	As fast as 9.1 seconds	As fast as 9.1 seconds				
PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/I	HP-GL/optional Adobe® PostScript® 3™					
•	Duplex Automatic Document Feeder (DADF): 110 sheets: Standard sizes: 5.5 x 8.5 in. to 11 x 17 in./A5 to A3; Custom sizes (duplex): 4.92 x 4.33 in. to 11.69 x 17 in./125 x 110 mm to 297 x 431.8 mm; Custom sizes (simplex): 4.92 x 3.35 in. to 11.69 x 17 in./125 x 85 mm to 297 x 431.8 mm					
Bypass Tray: 100 sheets; Custom si;	Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8 mm					
Tray 1: 520 sheets; Custom sizes: 5.5	5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 4	31.8 mm				
Single Tray with Stand: 520 sheets Three Tray Module (1,560 sheets): High-Capacity Tandem Tray (2,52	;; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 1 520 sheets each; Custom sizes: 5.5 x 7.17 in. to 11.69 0 sheets): Tray 2: 520 sheets; Custom sizes: 5.5 x 7.17	182 mm to 297 x 431.8 mm x 17 in./139.7 x 182 mm to 297 x 431.8 mm in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm;				
Idard Dual Catch Tray ² : 250 sheets each	; Lower tray offsets					
Office Finisher LX: 2,000-sheet state	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling Office Finisher LX: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole-punch, optional booklet maker (score, saddle stitch) Convenience Stapler with Work Surface: Staples 50 sheets					
EXPERIENCE						
	Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio					
Job Identification, Bi-directional Stat	tus, Job Monitoring, Xerox® Global Print Driver® and N	Nobile Express Driver®				
er PC or mobile—Status Information, F	Responsive Design, Settings, Device Management, Cl	oning				
Preview of Scan/Fax with Zoom, Rote	ate, Add Page					
	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox [®] Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Red Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Moo					
	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: S to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF					
Optional Walk-up Fax (one-line or th	ree-line options available, includes LAN Fax, Direct Fo	ax, Fax Forward to Email), optional Fax Over IP				
JD READY						
Apple [®] AirPrint ^{®5} , Google Cloud Print	t™ Ready, Xerox® Print Service and Mopria® Print Serv	ice Plug-ins for Android™				
	@PrintByXerox ³ , Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Printing ⁴ , Xerox [®] Mobile Link App ³ .					
Print from/Scan to Google Drive™, M	icrosoft [®] OneDrive [®] , Dropbox™, Microsoft Office 365	[®] , Box [®] , Xerox [®] DocuShare [®] and more				
RITY						
IPsec, HTTPS, encrypted email. Netv	vork Authentication, SNMPv3, SSL/TLS, Security Certi	ificates, Automatic Self-Signed Certificate				
	Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay					
	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Comma					
Secure Print, Secure Fax, Secure Scar	n, Secure Email, Password Protected PDF					
NERATION SERVICES						
Xerox [®] Print Management and Mobi	ility Suite ⁴ , Configuration Cloning, Xerox [®] Standard A	ccounting, Equitrac ⁴ , Y Soft ⁴ and more				
_	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services tools					
POSSIBILITIES						
Xerox® Easy Translator4, Xerox® Heal	thcare MFP (U.S. only) ⁴ , many additional services avo	ailable				
	320 GB HDD ² /1.05 GHz Dual-core/2 Ethernet 10/100/1000 Base-T, High- Unified Address Book, Configuration Role Based Permissions, Convenience ution Copy: Up to 600 x 600 dpi; Print: Up as) As fast as 6.8 seconds As fast as 10.4 seconds s PCL® Se/PCL 6/PDF/XPS/TIFF/IPEG// ndard Duplex Automatic Document Fee 11.69 x 17 in./125 x 110 mm to 297 x Bypass Tray: 100 sheets; Custom siz Tray 1: 520 sheets; Custom sizes: 5.5 e One Single Tray Module: 520 sheets; Custom sizes: 5.5 single Tray Module: 520 sheets; Custom sizes: 5.5 Fray 1: 520 sheets; Custom sizes: 5.5 single Tray Module (1,560 sheets): High-Capacity Tandem Tray (2,52 Tray 3: 870 sheets; Standard sizes: 8. Envelope Tray: Up to 60 envelopes: High-Capacity Feeder (HCF): 2,00 ndard Dual Catch Tray ² : 250 sheets each Integrated Office Finisher: 500-sh Office Finisher LX: 2,000-sheet star Convenience Stapler with Work Su EXPERIENCE Walkup customization, Personalize F Xerox App Gallery and Xerox® App SI Job Identification, Bi-directional Star (Corver of Scan/Fax with Zoom, Rote Print from USB, Secure Print, Sample Driver Settings, Bi-directional Real-tir (2, 0 ptical Character Recognition (OCR) to Home, Searchable PDF, Single/Mu Optional Walk-up Fax (one-line or th UD READY Apple® AirPrint® ⁵ , Google Cloud Print Visit www.xerox.com/officemobile Print from/Scan to Google Drive®', M URITY IPsec, HTTPS, encrypted email. Netv Firmware Verificatio	320 GB HDD ¹ /1.05 GHz Dual-core/2 GB memory Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi® and Wi-Fi Direct® with option: Unified Address Book, Configuration Cloning, Scan Preview, Xerox Extensible Interface PIc Role Based Permissions, Convenience Authentication Enabled, Online Support ution Copy: Up to 600 x 600 dpi; Print: Up to 1200 x 1200 dpi asi As fast as 6.4 seconds A fast as 10.4 seconds As fast as 5.4 seconds S PCL® Se/PCL 6/PDF/XPS/TIFF/IPEG/HP-GL/optional Adobe® PostScript® 3** Index Duplex Automatic Document Feeder (DADF): 110 sheets: Standard sizes: 5.5 x 8.5 in. 11.69 x 12 in./125 x 110 mm to 297 x 431.8 mm; Custom sizes (simplex): 4.92 x 3.35 in. to Bypass Tray: 100 sheets: Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./88.9 x 98.4 mm to 0. Tray 1: 520 sheets: Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 4 Single Tray Module: 520 sheets: Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 17 my 3: 870 sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 in./A4 or 85, Tray 4: 1130 st Binder Tray Wodule: 520 sheets: Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 17 my 3: 870 sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 in./A4 or 85, Tray 4: 1130 st Binder Tray Wodule: 520 sheets: 62 (Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 12 Tray 3: 870 sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 in Inagrated Offi				

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² HDD and Dual Catch Tray are optional on Desktop model; ³ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list.

For more detailed specifications, go to www.xerox.com/VersaLinkB7000Specs.

XEROX[®] VERSALINK[®] C7000 COLOR PRINTER

DEVICE SPECIFI	CATIONS	VersaLink C7000N VersaLink C7000DN				
Speed		Up to 35 ppm				
Monthly Duty Cycle ¹		Up to 153,000 pages				
Hard Drive/Processor/	Memory	320 GB HDD²/1.05 GHz Dual-core/2 GB memory				
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi® and Wi-Fi Direct® with optional Wi-Fi Kit, NFC Tap-to-Pair				
Controller Features		Configuration Cloning, Xerox Extensible Interface Platform [®] , Xerox App Gallery, Xerox [®] Standard Accounting Tool, Role Based Permissions, Convenience Authentication Enabled, Online Support				
Print	Resolution	Up to 1200 x 2400 dpi				
First-print-out Time		As fast as 7.6 seconds color / 5.1 seconds black-and-white				
Page Description Lang	guages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]				
Paper Input Standard		Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8 mm Tray 1: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm				
	Optional	Single Tray Module: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Single Tray with Stand: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Three Tray Module (1,560 sheets): 520 sheets each; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Envelope Tray: Up to 60 envelopes: #10 commercial, Monarch, DL, C5; Custom sizes: 3.9 x 5.8 in. to 6.4 x 9.5 in./98 x 148 mm to 162 x 241 mm				
Paper Output/ Finishing	Standard	Catch Tray: 500 sheets, offsets				
	Optional	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling				
Automatic Two-sided	Printing	NA Standard				
INTUITIVE US	SER EXPE	ERIENCE				
Customize and Personalize		Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio				
Print Drivers		Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®				
Embedded Web Server		PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning				
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (DN configuration), Skip Blank Pages, Draft Mode				
MOBILE AND	CLOUD R	EADY				
Mobile Printing		Apple® AirPrint®5, Google Cloud Print™ Ready, Xerox® Print Service and Mopria® Print Service Plug-ins for Android™				
Mobility Options		@PrintByXerox ³ , Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Printing ⁴ Visit www.xerox.com/officemobileapps for available apps.				
Cloud Connectors ³		Print from Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform and more				
BENCHMARK S	ECURIT	Y				
Network Security		IPsec, HTTPS, Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Automatic Self-Signed Certificate				
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader Bay				
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite ²				
Document Security		Secure Print				
ENABLES NEX	TGENER	ATION SERVICES				
Print Management		Xerox [®] Print Management and Mobility Suite/Service ⁴ , Configuration Cloning, Xerox [®] Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more				
Managing Print		Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services tools				
Sustainability		Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins				
GATEWAY TO	NEW POS					
Xerox App Gallery		Many apps and cloud services available. Visit www.xerox.com/appgallery for a growing selection of Xerox® apps available for adding functions.				
	acity ovpostod	in any one month. Not expected to be sustained on a regular basis; ² HDD optional; ³ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/				

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² HDD optional; ³ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/ xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list.

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications Supplies Standard Capacity Toner Cartridges:		Magenta: 10,100 pages ⁶ Yellow: 10,100 pages ⁶ CMYK Drum Cartridge: 82,200 pages ⁷ Waste Toner Bottle: 21,200 pages ⁷ 120V Fuser	106R03759 106R03758 113R00782 115R00129 115R00137	⁶ Average standard pages. Declared Yield in accordance with ISO/ IEC 19798. Yield will vary based on image, area coverage and print mode. ⁷ Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit
Black: 5,300 pages ⁶	106R03761	Options		http://www.office.xerox.com/latest/SUPGL-01.PDF
Cyan: 3,300 pages ⁶	106R03764	Single Tray Module	097S04910	
Magenta: 3,300 pages ⁶	106R03763	Single Tray with Stand Module	097S04907	Configurations vary by geography.
Yellow: 3,300 pages ⁶	106R03762	Three Tray Module	097504908	
High Capacity Toner Cartridges:		Envelope Tray (Replaces Tray 1)	497K17720	
Black: 10,700 pages ⁶	106R03757	HDD (320 GB Hard Drive)	497K17740	
Cyan: 10,100 pages ⁶	106R03760	Wireless Network Adapter (Wi-Fi Kit)	497K16750	
cyan. 10,100 pages	1001(05700	Internal Card Reader / RFID Kit	497K18120	

For more detailed specifications, go to www.xerox.com/C7000PrinterSpecs.

XEROX® VERSALINK® C7020/C7025/C7030 COLOR MULTIFUNCTION PRINTER

DEVICE SPECIF	ICATIONS	VersaLink C7020	VersaLink C7025	VersaLink C7030			
Speed		Up to 20 ppm	Up to 25 ppm	Up to 30 ppm			
Monthly Duty Cycle ¹		Up to 87,000 pages	Up to 107,000 pages	Up to 129,000 pages			
Hard Drive/Processo	r/Memory	320 GB HDD²/1.05 GHz Dual-core/4 GB memory					
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi [®] and Wi-Fi Direct [®] with optional Wi-Fi Kit, NFC Tap-to-Pair					
Controller Features			Cloning, Scan Preview, Xerox Extensible Interface Pl Authentication Enabled, Online Support	atform®, Xerox App Gallery, Xerox® Standard Accounting Tool,			
Copy and Print	Resolution	Copy: Up to 600 x 600 dpi; Print: Up	to 1200 x 2400 dpi				
First-copy-out Time	(as fast as)	As fast as 9.0 seconds color/6.9 seconds	nds black-and-white	As fast as 7.2 seconds color/ 5.8 seconds black-and-white			
First-print-out Time		As fast as 9.4 seconds color/7.2 secor black-and-white	nds As fast as 9.4 seconds color/ 7.1 seconds black-and-white	As fast as 7.3 seconds color/ 5.6 seconds black-and-white			
Page Description La	nguages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/H	IP-GL/optional Adobe [®] PostScript [®] 3™				
Paper Input Standard		Duplex Automatic Document Feeder (DADF): 110 sheets: Speed: up to 55 ipm; Custom sizes (duplex): 4.92 x 4.33 in. to 11.69 x 17 in./125 x 110 mm 1 297 x 431.8 mm; Custom sizes (simplex): 4.92 x 3.35 in. to 11.69 x 17 in./125 x 85 mm to 297 x 431.8 mm					
		Bypass Tray: 100 sheets; Custom siz	es: 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to	297 x 431.8 mm			
		Tray 1: 520 sheets; Custom sizes: 5.5	x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x	431.8 mm			
	Choose One	Single Tray with Stand: 520 sheets Three Tray Module (1,560 sheets): High-Capacity Tandem Tray (2,52		182 mm to 297 x 431.8 mm			
	Optional		#10 commercial, Monarch, DL, C5; Custom sizes: 3.9) sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5	9 x 5.8 in. to 6.4 x 9.5 in./98 x 148 mm to 162 x 241 mm n./A4 or B5			
Paper Output/	Standard	Dual Catch Tray ² : 250 sheets each; Lower tray offsets					
Finishing	Optional	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling Office Finisher LX: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole-punch, optional booklet maker (score, saddle stitch) Convenience Stapler and Work Surface: Staples 50 sheets					
INTUITIVE U	SER EXPE	ERIENCE	· · · · · · · · · · · · · · · · · · ·				
Customize and Perso	onalize	Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio					
Print Drivers		Job Identification, Bi-directional Stat	us, Job Monitoring, Xerox $^{\otimes}$ Global Print Driver $^{\otimes}$ and	Mobile Express Driver®			
Embedded Web Serv	ver	PC or mobile—Status Information, R	esponsive Design, Settings, Device Management, C	loning			
Preview		Preview of Scan/Fax with Zoom, Rote	ite, Add Page				
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Reco Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mod					
Scan		Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Sc to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF					
Fax		Optional Walk-up Fax (one-line or thr	ee-line options available, includes LAN Fax, Direct F	ax, Fax Forward to Email), optional Fax Over IP			
MOBILE AND	CLOUD R	EADY					
Mobile Printing		Apple® AirPrint®5, Google Cloud Print	™ Ready, Xerox® Print Service and Mopria® Print Ser	vice Plug-ins for Android™			
Mobility Options		@PrintByXerox ³ , Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Printing ⁴ , Xerox [®] Mobile Link App ³ . Visit www.xerox.com/officemobileapps for available apps.					
Cloud Connectors ³		Print from/Scan to Google Drive™, Mi	crosoft® OneDrive®, Dropbox™, Microsoft Office 365	^{3®} , Box [®] , Xerox [®] DocuShare [®] Platform and more			
BENCHMARK	SECURIT	Y					
Network Security		IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Automatic Self-Signed Certificate					
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Integrated Card Reader Bay					
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Commo Criteria Certification (ISO 15408) (undergoing evaluation)					
Document Security		Secure Print, Secure Fax, Secure Scan	, Secure Email, Password Protected PDF				
NABLES NEX	(T GENER	ATION SERVICES					
Print Management		Xerox [®] Print Management and Mobi	ity Suite ⁴ , Configuration Cloning, Xerox $^{\otimes}$ Standard A	ccounting Tool, Equitrac ⁴ , Y Soft ⁴ and more			
Managing Print		Xerox® Device Manager, Support Assistance, Auto Meter Read, Managed Print Services tools					
Sustainability		Cisco EnergyWise®, Earth Smart Print	ing, Print User ID on margins				
GATEWAY TO	NEW POS	SSIBILITIES					
		V @ F T					
Cloud Services		Xerox® Easy Translator", Xerox® Heal	hcare MFP Solution (U.S. only) ⁴ , many additional se	rvices available			

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² HDD and Dual Catch Tray are optional on Desktop model; ³ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list.

For more detailed specifications, go to www.xerox.com/VersaLinkC7000Specs.

Awards



2017 Article 2017 Certificate

Read more about our award winning solutions **<u>BLI Solutions Award Brochure</u>**

For more information visit us at www.connectkey.com.

©2017 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, ConnectKey®, DocuShare®, Global Print Driver®, MeterAssistant®, Mobile Express Driver®, SuppliesAssistant®, Xerox Extensible Interface Platform® and VersaLink® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. Updated 11/17 BR21342 XOGEG-06UH

