iiyama TF5539AS-B1AG Signage Display Écran plat de signalisation numérique 138,7 cm (54.6") LED 500 cd/m² 4K Ultra HD Noir Écran tactile Intégré dans le processeur Android 24/7

Marque: iiyama Code produit: TF5539AS-B1AG

Nom du produit : TF5539AS-B1AG

iiyama TF5539AS-B1AG. Design Produit: Écran plat de signalisation numérique. Taille de l'écran: 138,7 cm (54.6"), Technologie d'affichage: LED, Résolution de l'écran: 3840 x 2160 pixels, Luminosité de l'écran: 500 cd/m², Type HD: 4K Ultra HD, Écran tactile. Operating hours (hours/days): 24/7. Système d'exploitation installé: Android. Couleur du produit: Noir





Disular		Dasima	
Display		Design	
Panel type	IPS	Bezel width (top)	3 cm
LED backlight	•	Performance	
Display diagonal *	138.7 cm (54.6")	Purpose *	Universal
Display technology *	LED	On Screen Display (OSD)	✓
Display resolution *	3840 x 2160 pixels	Number of OSD languages	13
Display brightness *	500 cd/m ²		Czech, Danish, German, Dutch,
HD type *	4K Ultra HD		English, Spanish, Finnish, French,
Touchscreen *	✓		Italian, Polish, Russian, Slovenian
Number of simultaneous touchpoints	40	, , , , ,	24/7
Multi-touch	/		✓
	16:9	, ,	IP54
Native aspect ratio	10:9 8 ms		2.2
Response time Contrast ratio (typical)	1200:1	Mean time between failures (MTBF)	50000 h
Viewing angle, horizontal	178°	Power	
viewing angle, nonzoniai	170	D	120 11/
Viewing angle vertical	178°	Power consumption (typical) *	139 W
Viewing angle, vertical	178° 1 07 hillion colours		0.5 W
Display number of colours	1.07 billion colours	Power consumption (standby) *	
Display number of colours Pixel pitch	1.07 billion colours 0.315 x 0.315 mm	Power consumption (standby) * Power consumption (off)	0.5 W
Display number of colours Pixel pitch Active display area (W x H) Display diagonal (metric)	1.07 billion colours 0.315 x 0.315 mm 1209.6 x 680.4 mm 139 cm	Power consumption (standby) * Power consumption (off) Energy efficiency class (SDR)	0.5 W 0.3 W
Display number of colours Pixel pitch Active display area (W x H) Display diagonal (metric) Horizontal scan range	1.07 billion colours 0.315 x 0.315 mm 1209.6 x 680.4 mm 139 cm 28 - 160 kHz	Power consumption (standby) * Power consumption (off) Energy efficiency class (SDR) Energy consumption (SDR) per 1000 hours	0.5 W 0.3 W F
Display number of colours Pixel pitch Active display area (W x H) Display diagonal (metric) Horizontal scan range Native refresh rate	1.07 billion colours 0.315 x 0.315 mm 1209.6 x 680.4 mm 139 cm 28 - 160 kHz	Power consumption (standby) * Power consumption (off) Energy efficiency class (SDR) Energy consumption (SDR) per 1000 hours AC input voltage	0.5 W 0.3 W F 78 kWh
Display number of colours Pixel pitch Active display area (W x H) Display diagonal (metric) Horizontal scan range Native refresh rate Haze rate	1.07 billion colours 0.315 x 0.315 mm 1209.6 x 680.4 mm 139 cm 28 - 160 kHz 60 Hz 25%	Power consumption (standby) * Power consumption (off) Energy efficiency class (SDR) Energy consumption (SDR) per 1000 hours AC input voltage AC input frequency	0.5 W 0.3 W F 78 kWh 100 - 240 V
Display number of colours Pixel pitch Active display area (W x H) Display diagonal (metric) Horizontal scan range Native refresh rate	1.07 billion colours 0.315 x 0.315 mm 1209.6 x 680.4 mm 139 cm 28 - 160 kHz	Power consumption (standby) * Power consumption (off) Energy efficiency class (SDR) Energy consumption (SDR) per 1000 hours AC input voltage AC input frequency	0.5 W 0.3 W F 78 kWh 100 - 240 V 50/60 Hz
Display number of colours Pixel pitch Active display area (W x H) Display diagonal (metric) Horizontal scan range Native refresh rate Haze rate Surface hardness	1.07 billion colours 0.315 x 0.315 mm 1209.6 x 680.4 mm 139 cm 28 - 160 kHz 60 Hz 25% 3H	Power consumption (standby) * Power consumption (off) Energy efficiency class (SDR) Energy consumption (SDR) per 1000 hours AC input voltage AC input frequency Energy efficiency scale Computer system	0.5 W 0.3 W F 78 kWh 100 - 240 V 50/60 Hz
Display number of colours Pixel pitch Active display area (W x H) Display diagonal (metric) Horizontal scan range Native refresh rate Haze rate Surface hardness Glass thickness	1.07 billion colours 0.315 x 0.315 mm 1209.6 x 680.4 mm 139 cm 28 - 160 kHz 60 Hz 25% 3H	Power consumption (standby) * Power consumption (off) Energy efficiency class (SDR) Energy consumption (SDR) per 1000 hours AC input voltage AC input frequency Energy efficiency scale Computer system	0.5 W 0.3 W F 78 kWh 100 - 240 V 50/60 Hz A to G

Ports & interfaces		Computer system	
DVI port * DisplayPorts quantity * DisplayPort version USB port * USB ports quantity USB connector type USB 2.0 Type-B ports quantity Ethernet LAN * Ethernet LAN (RJ-45) ports RS-232C	X 1 1.2 ✓ 3 USB Type-A, USB Type-B 1 ✓ 1	Processor architecture Internal memory Internal storage capacity Operating system installed Operating system version	ARM Cortex-A53+Cortex-A73 4 GB 32 GB Android 11
		Weight & dimensions	
		Display width Display depth Display height Display weight	1274 mm 65.2 mm 744.8 mm 39.6 kg
Audio		Packaging data	
Built-in speaker(s) * Number of built-in speakers RMS rated power	✓ 2 20 W	Package width Package depth Package height Package volume	1428 mm 185 mm 894 mm 47200 cm ³
Design Product design * Digital signage flat page		Packaging content	
Product design * Placement supported * Orientation Product colour *	Digital signage flat panel Indoor Horizontal/Vertical Black Flat	Remote control included Batteries included Cables included	✓ ✓ AC, DisplayPort, HDMI, USB
Screen shape		Operational conditions	
VES/ (Incurring	400 x 400 mm	Operating temperature (T-T) Storage temperature (T-T)	0 - 40 °C -20 - 60 °C
		Certificates	
		Certification	TCO Certified, CB, TÜV-Bauart, EAC, RoHS support, ErP, WEEE, REACH



4948570123896

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.