




iiyama LH3241S-B2 Signage Display En forme de kiosk 80 cm (31.5") LED 350 cd/m² Full HD Noir 24/7

Marque : iiyama

Code produit: LH3241S-B2


Nom du produit : LH3241S-B2

iiyama LH3241S-B2. Design Produit: En forme de kiosk. Taille de l'écran: 80 cm (31.5"), Technologie d'affichage: LED, Résolution de l'écran: 1920 x 1080 pixels, Luminosité de l'écran: 350 cd/m², Type HD: Full HD. Operating hours (hours/days): 24/7. Couleur du produit: Noir



Display		Design	
Panel type	IPS	Bezel width (side)	1.48 cm
Display diagonal *	80 cm (31.5")	Bezel width (top)	1.48 cm
Display technology *	LED	Bezel colour	black, glossy
Display resolution *	1920 x 1080 pixels	Performance	
Display brightness *	350 cd/m ²	Purpose *	Commercial
HD type *	Full HD	Number of OSD languages	8
Touchscreen *	✗	On Screen Display (OSD) languages	German, English, Spanish, French, Italian, Japanese, Russian
Native aspect ratio	16:9	Operating hours (hours/days)	24/7
Response time	8 ms	HDCP	✓
Contrast ratio (typical)	1200:1	HDCP version	2.2
Viewing angle, horizontal	178°	Mean time between failures (MTBF)	50000 h
Viewing angle, vertical	178°	Power	
Display number of colours	16.7 million colours	Power consumption (typical) *	39 W
Pixel pitch	0.364 x 0.364 mm	Power consumption (standby) *	0.5 W
Active display area (W x H)	698.4 x 392.9 mm	Power consumption (off)	0.3 W
Display diagonal (metric)	80 cm	Energy efficiency class (SDR)	G
Horizontal scan range	30 - 80 kHz	Energy consumption (SDR) per 1000 hours	39 kWh
Haze rate	1%	AC input voltage	100 - 240 V
Ports & interfaces		AC input frequency	50/60 Hz
HDMI ports quantity *	3	Energy efficiency scale	A to G
DVI port *	✗	Computer system	
VGA (D-Sub) input ports	1	Computer system *	✗
USB port *	✓	Built-in processor *	✗
USB ports quantity	1	Weight & dimensions	
USB version	2.0	Display width	725.5 mm
Ethernet LAN *	✓	Display depth	54 mm
Ethernet LAN (RJ-45) ports	1	Display height	422 mm
Wi-Fi *	✗		
Audio (L/R) in	1		
Number of speaker outputs	1		

Ports & interfaces		Weight & dimensions	
RS-232C	✓	Display weight	5.1 kg
Remote (IR) input	1	Packaging data	
Audio		Package width	824 mm
Built-in speaker(s) *	✓	Package depth	119 mm
Number of built-in speakers	2	Package height	554 mm
RMS rated power	20 W	Packaging content	
Design		Remote control included	✓
Product design *	Kiosk design	Cables included	HDMI, Power, RS-232
Placement supported *	Indoor	Operational conditions	
Product colour *	Black	Operating temperature (T-T)	0 - 40 °C
VESA mounting *	✓	Operating relative humidity (H-H)	-20 - 60%
Panel mounting interface	200 x 200 mm		
Bezel width (bottom)	1.5 cm		



4948570123506

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-MAR-2025. Prints or copies of Information are only valid on the printed Publication date