## Viewsonic IFP7562 Signage Display Écran plat interactif 190,5 cm (75") LED Wifi 350 cd/m<sup>2</sup> 4K Ultra HD Noir Écran tactile Intégré dans le processeur Android

Marque : Viewsonic

Code produit: IFP7562

Nom du produit : IFP7562

Viewsonic IFP7562. Design Produit: Écran plat interactif. Taille de l'écran: 190,5 cm (75"), Technologie d'affichage: LED, Résolution de l'écran: 3840 x 2160 pixels, Luminosité de l'écran: 350 cd/m<sup>2</sup>, Type HD: 4K Ultra HD, Écran tactile. Wifi. Système d'exploitation installé: Android. Couleur du produit: Noir





Display		Performance	
Display	777.100		
Panel type	TFT-LCD	Purpose *	Universal
LED backlight	✓	HDCP	1
Display diagonal *	190.5 cm (75")	HDCP version	2.2
Display technology *	LED	Power	
Display resolution *	3840 x 2160 pixels	Power consumption (typical) *	130 W
Display brightness *	350 cd/m <sup>2</sup>	Power consumption (standby) *	0.5 W
HD type *	4K Ultra HD	Energy efficiency class (SDR)	G
Touchscreen *		Energy consumption (SDR) per 1000	232 kWh
Touchscreen technology	Ultra Fine Touch (UFT)	hours	
Number of simultaneous touchpoints	20	AC input voltage	100 - 240 V
Multi-touch	1	AC input frequency	50 - 60 Hz
Native aspect ratio	16:9	Energy efficiency scale	A to G
Response time	8.5 ms	Computer system	
Contrast ratio (typical)	1200:1	Computer system *	1
Contrast ratio (dynamic)	5000:1	Computer system type	System on Chip (SoC)
Viewing angle, horizontal	178°	Built-in processor *	1
Viewing angle, vertical	178°	Processor architecture	ARM Cortex-A73
Display number of colours	1.07 billion colours	Processor frequency	1.2 GHz
Active display area (W x H)	1650.24 x 928.26 mm	Processor cores	4
Surface hardness	9H	Internal memory	3 GB
Ports & interfaces		Internal storage capacity	32 GB
HDMI ports quantity *	5	Operating system installed	Android
HDMI version	2.0	Windows operating systems	1
HDMI input ports quantity	4	supported	
HDMI output ports quantity	1	Weight & dimensions	
DVI port *	×	Display width	1712 mm
VGA (D-Sub) input ports	1	Display depth	78 mm
USB port *	1	Display height	1031 mm
USB ports quantity	9	Display weight	50 kg
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)	Packaging data	
USP connector type	USB Type-A, USB Type-B, USB Type-	Package width	1848 mm
USB connector type	C	Package depth	270 mm
USB 2.0 Type-B ports quantity	2	Package height	1121 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	5	Package weight	66.3 kg

Ports & interfaces		Packaging content	
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Remote control included	<ul> <li>Image: A start of the start of</li></ul>
USB Power Delivery (USB PD)	1	Batteries included	v
USB Power Delivery up to	65 W	Stylus pen	1
USB Type-C DisplayPort Alternate		Number of stylus pens	2
Mode		Cables included	HDMI, Power, RS-232, USB Type-C
Ethernet LAN *	1	Mounting kit	4
Ethernet LAN (RJ-45) ports	2	Operational conditions	
Wi-Fi *	1	Operating temperature (T-T)	0 - 40 °C
PC Audio in	✓	Operating relative humidity (H-H)	20 - 80%
Microphone in	×	Storage temperature (T-T)	-20 - 60 °C
RS-232 interface	1	Storage relative humidity (H-H)	10 - 90%
Digital audio optical out	1	Certificates	
PC Audio out	<ul> <li>Image: A set of the set of the</li></ul>		cTUVus, FCC/ICES003, Energy star
OPS module slot	1		8.0, EPEAT, Mexico NOM, Mexico
Audio		Certification	Energy, EMC/CE, CB/LVD, GOST-R / EAC, UkrSEPRO, UKCA, LBL, Green
	1		BOM, RoHS, ErP, REACH, SCIP,
Built-in speaker(s) *	2		WEEE, TPCH, CA65, PAIA
Number of built-in speakers RMS rated power	2 24 W	Technical details	
·	24 W	OPS slot	1
Design		Other features	
Product design *	Interactive flat panel	Manual	1
Placement supported * Product colour *	Indoor Black	Quick start guide	1
		Built-in microphone	1
VESA mounting *	✓ 6.26.cm	Built-in subwoofer	-
Bezel width (bottom)	6.36 cm 3.11 cm	Mobile operating systems supported	• Android
Bezel width (side) Bezel width (top)	3.11 cm 3.87 cm	Subwoofer RMS power	15 W
	S.67 CIII		1.5 VV
Anti-glare screen	v		





766907012071

0766907012071

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.