



TP-Link M7650 mobiele router / gateway / modem Router voor mobiele netwerken

Merk : TP-Link

Artikelcode: M7650


Productnaam : M7650

TP-Link M7650. Soort apparaat: Router voor mobiele netwerken, Kleur van het product: Zwart, Grijs, Markt positionering: Draagbaar. Wi-Fi-standaarden: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Ondersteunde WLAN data-overdrachtsnelheden: 867 Mbit/s, Wifi-frequentie: 5 GHz. Datanetwerk: 2G, 3G, 4G, LTE, 2G standaarden: Edge, GPRS, GSM, 3G standaarden: DC-HSPA+, HSPA, UMTS. Compatibele geheugenkaarten: MicroSD (TransFlash). Ondersteunde beveiligingsalgoritmen: WPA-PSK, WPA2-PSK



Design		Ports & interfaces	
Device type *	Cellular network router	Compatible memory cards	MicroSD (TransFlash)
Product colour *	Black, Grey	Security	
Market positioning	Portable	Security algorithms	WPA-PSK, WPA2-PSK
Built-in display	✓	Certificates	
Display type	TFT	Certification	CE, RoHS
Display diagonal	3.66 cm (1.44")	Packaging content	
Reset button	✓	Cables included	Micro-USB
LED indicators	✓	Performance	
Ethernet LAN features		Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Ethernet LAN *	✗	Power	
DHCP client	✓	Power source type *	AC
DHCP server	✓	Battery capacity	3000 mAh
Wireless LAN features		Operational conditions	
Wi-Fi *	✓	Operating temperature (T-T)	0 - 35 °C
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Storage temperature (T-T)	-20 - 60 °C
WLAN data transfer rates supported	867 Mbit/s	Operating relative humidity (H-H)	10 - 90%
Wi-Fi frequency	5 GHz	Storage relative humidity (H-H)	5 - 90%
Mobile network		Weight & dimensions	
Data network *	2G, 3G, 4G, LTE	Width	106 mm
2G standards	Edge, GPRS, GSM	Depth	66 mm
3G standards	DC-HSPA+, HSPA, UMTS	Height	16 mm
4G standard	LTE	Packaging data	
2G bands supported	850,900,1800,1900 MHz	User guide	✓
3G bands supported	900,2100 MHz		
4G bands supported	800,900,1800,2100 MHz		
GSM bands supported	850,900,1800,1900 MHz		

Mobile network		Packaging data	
UMTS bands supported	900,2100 MHz	Package width	149 mm
SIM card type	MicroSIM	Package depth	101 mm
Ports & interfaces		Package height	60 mm
Card reader integrated	✓	Package weight	260 g
Logistics data			
		Harmonized System (HS) code	85176990



6935364080556

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-MAR-2025. Prints or copies of Information are only valid on the printed Publication date