

NEC MultiSync M551 Digitale signage flatscreen 139,7 cm (55") **LCD 500 cd/m² 4K Ultra HD Zwart 24/7**


Merk : NEC

Productfamilie: MultiSync

Artikelcode: 60005055


Productnaam : M551

NEC MultiSync M551. Productontwerp: Digitale signage flatscreen. Beeldschermdiagonaal: 139,7 cm (55"), Display technologie: LCD, Resolutie: 3840 x 2160 Pixels, Helderheid: 500 cd/m², HD type: 4K Ultra HD. Bedrijfsuren (uren/dagen): 24/7. Kleur van het product: Zwart




Display		Performance	
Panel type	IPS	Purpose *	Universal
LED backlight	✓	Ambient light sensor	✓
LED backlighting type	Edge-LED	Operating hours (hours/days)	24/7
Display diagonal *	139.7 cm (55")	HDCP	✓
Display technology *	LCD	International Protection (IP) code	IP5X, IP2X
Display resolution *	3840 x 2160 pixels	Power	
Display brightness *	500 cd/m²	Power consumption (typical) *	110 W
HD type *	4K Ultra HD	Power consumption (standby) *	0.5 W
Touchscreen *	✗	Energy efficiency class (SDR)	G
Native aspect ratio	16:9	Energy efficiency class (HDR)	G
Response time	8 ms	Energy consumption (SDR) per 1000 hours	100 kWh
Contrast ratio (typical)	8000:1	Energy consumption (HDR) per 1000 hours	90 kWh
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz
Display number of colours	1.076 billion colours	Energy efficiency scale	A to G
Display diagonal (metric)	138.8 cm	Computer system	
Horizontal scan range	26 - 91.1 kHz	Computer system *	✗
Vertical scan range	23 - 86 Hz	Built-in processor *	✗
Native refresh rate	60 Hz	Weight & dimensions	
Haze rate	28%	Display width	1239.6 mm
Ports & interfaces		Display depth	61.1 mm
HDMI ports quantity *	4	Display height	713 mm
HDMI input ports quantity	2	Display weight	26.4 kg
HDMI output ports quantity	2	Packaging data	
DVI port *	✗	Package width	1430 mm
DisplayPorts quantity *	2	Package depth	250 mm
DisplayPorts in	1	Package height	920 mm
DisplayPorts out	1	Package weight	36.5 kg
USB port *	✓		
USB ports quantity	1		
USB version	2.0		
Ethernet LAN *	✓		
Ethernet LAN (RJ-45) ports	1		

Ports & interfaces		Packaging content	
Ethernet LAN data rates	100 Mbit/s	Remote control included	✓
Wi-Fi *	✗	Cables included	AC, HDMI
Audio (L/R) out	1	Operational conditions	
RS-232 interface	✓	Operating temperature (T-T)	0 - 40 °C
Audio		Operating relative humidity (H-H)	20 - 80%
Built-in speaker(s) *	✓	Storage temperature (T-T)	-20 - 60 °C
Number of built-in speakers	2	Storage relative humidity (H-H)	10 - 90%
RMS rated power	20 W	Logistics data	
Design		Harmonized System (HS) code	85285210
Product design *	Digital signage flat panel	Features	
Orientation	Horizontal/Vertical	Wall mountable	✓
Product colour *	Black	Technical details	
VESA mounting *	✓	Sustainability certificates	ENERGY STAR
Panel mounting interface	300 x 300 mm		
Bezel width (bottom)	1.56 cm		
Bezel width (side)	1.25 cm		
Bezel width (top)	1.2 cm		



5028695119451



0805736072914



805736072914

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date