iiyama TE5512MIS-B3AG Signage Display Kiosk-ontwerp 139,7 cm (55") LCD Wi-Fi 400 cd/m² 4K Ultra HD Zwart Touchscreen Type processor Android 11 18/7

Merk : iiyama

Artikelcode: TE5512MIS-B3AG



Productnaam : TE5512MIS-B3AG

iiyama TE5512MIS-B3AG. Product design: Kiosk-ontwerp. Beeldschermdiagonaal: 139,7 cm (55"), Display technologie: LCD, Resolutie: 3840 x 2160 Pixels, Helderheid: 400 cd/m², HD type: 4K Ultra HD, Touchscreen. Wi-Fi. Operating hours (hours/days): 18/7. Inclusief besturingssysteem: Android 11. Kleur van het product: Zwart

Display		Performance	
Panel typeIPSDisplay diagonal *139.7 cm (55")Display technology *LCDDisplay resolution *3840 x 2160 pixelsDisplay brightness *400 cd/m²HD type *4K Ultra HD	139.7 cm (55") LCD 3840 x 2160 pixels 400 cd/m ²	On Screen Display (OSD) languages Operating hours (hours/days) HDCP HDCP version Mean time between failures (MTBF)	Polish, Russian 18/7 2.2
Touchscreen * Touchscreen technology	Infrared	Power	
Multi-touch		Power consumption (typical) *	111 W
Number of simultaneous touchpoints (Windows) Native aspect ratio	40 16:9	Power consumption (standby) * Power consumption (off) Energy efficiency class (SDR)	0.5 W 0.3 W G
Response time	8 ms	Energy consumption (SDR) per 1000 hours	444 kWh
Contrast ratio (typical)1200:1Contrast ratio (dynamic)4000:1Viewing angle, horizontal178°Viewing angle, vertical178°	4000:1 178°	AC input voltage AC input frequency Energy efficiency scale	100 - 240 V 50 - 60 Hz A to G
Display number of colours	1.07 billion colours	Computer system	
Pixel pitch0.315 x 0.315 mrActive display area (W x H)1210 x 680 mmDisplay diagonal (metric)218 cmColour saturation72%Horizontal scan range30 - 135 kHz	218 cm 72%	Computer system * Built-in processor * Processor model Internal memory	✓ A73 4 GB
Ports & interfaces		On-board graphics card model Internal storage capacity	ARM Mali-G52 16 GB
HDMI ports quantity *	4	Operating system installed	Android 11
DVI port *	1	Weight & dimensions	
VGA (D-Sub) input ports USB port * USB ports quantity USB version USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity Ethernet LAN *	✓ ✓	Display width Display depth Display height Display weight Width Depth Height	1271 mm 87 mm 774 mm 26.1 kg 1929 mm 69.5 mm 1100 mm
Ethernet LAN (RJ-45) ports	1	Weight	63.8 kg
Wi-Fi * Wi-Fi standards	✔ Wi-Fi 6 (802.11ax)	Packaging data	"9
PC Audio in RS-232C Remote (IR) input Remote (IR) output	 1 1 	Package width Package depth Package height Package weight	1401 mm 859 mm 220 mm 34.5 kg

Design		Packaging content	
Product design *Kiosk designPlacement supported *IndoorOrientationHorizontal/Vertical	Remote control included Batteries included Cables included	✓ ✓ AC, HDMI, USB	
Product colour * VESA mounting * Panel mounting interface	ESA mounting *	Operational conditions Operating temperature (T-T)	0 - 40 °C
Bezel width (bottom)4.6 cmBezel width (side)1.9 cmBezel width (top)1.9 cm	1.9 cm	Certificates Certification	CB, CE, TÜV-Bauart, EAC, ErP, WEEE, REACH
Performance		Logistics data	
Purpose * On Screen Display (OSD) Number of OSD languages	Universal ✓ 11	Harmonized System (HS) code Technical details	85285210
		Compliance certificates Other features Ouick start quide	RoHS

Housing material

Metal

Publication date: 04-MAR-2025. Prints or copies of Information are only valid on the printed Publication date



4948570123681

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.