



TP-Link InSight S655I IP-beveiligingscamera Binnen 2560 x 1920 Pixels Plafond/muur

Merk : TP-Link

Artikelcode: INSIGHT S655I


Productnaam : InSight S655I

TP-Link InSight S655I. Soort: IP-beveiligingscamera, Ondersteuning voor plaatsing: Binnen, Connectiviteitstechnologie: Bedraad. Montagewijze: Plafond/muur, Kleur van het product: Wit, Materiaal behuizing: Metaal. Type beeldsensor: CMOS, Omvang optische sensor: 25,4 / 2,7 mm (1 / 2.7"). Type sensor (panorama-camera): CMOS, Signaal-ruisverhouding (SNR) (panorama-camera): 52 dB. Detectieafstand: 28,8 m, Observatieafstand: 12 m, Herkenningsafstand: 5,7 m



Performance		Video	
Type *	IP security camera	Digital Wide Dynamic Range (DWDR)	✓
Placement supported *	Indoor	Region of Interest (ROI) encoding	✓
Connectivity technology *	Wired	Audio	
Wide Dynamic Range (WDR)	✓	Built-in speaker(s)	✓
Dynamic range	120 dB	Audio system	2-way
Certification	CE; NTRA; KC; FCC; VCCI; BSMI; ONVIF	Sample rate	8 kHz
Design		Built-in microphone	✓
Mounting type *	Ceiling/wall	Number of microphones	1
Product colour *	White	Bit rate range	0 - 64 Kbit/s
Housing material	Metal	Network	
International Protection (IP) code	IP67	Ethernet LAN *	✓
IK code	IK10	Ethernet interface type	Fast Ethernet
Weatherproof	✓	Networking standards	IEEE 802.3, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u
Camera		Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP, UDP, SSL/TLS, FTP/SFTP, RTP, IPv4, IPv6, ARP
Number of Privacy masking areas	4	Wi-Fi *	✗
Image sensor		Bluetooth *	✗
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Storage	
Sensor type *	CMOS	Built-in HDD *	✗
Panoramic camera		Card reader integrated	✓
Sensor type (panoramic camera)	CMOS	Compatible memory cards	MicroSD (TransFlash)
Signal-to-Noise Ratio (SNR) (panoramic camera)	52 dB	Maximum memory card size	512 GB
Digital Wide Dynamic Range (DWDR) (panoramic camera)	✓		
Lens system			
Detect distance	28.8 m		

Lens system		Ports & interfaces	
Observe distance	12 m	Ethernet LAN (RJ-45) ports	1
Recognize distance	5.7 m	Security	
Identify distance	2.8 m	Password protection	✓
Fixed focal length	1.44 mm	IP address filtering	✓
Night vision		HTTPS encryption	✓
Night vision *	✓	Alert notification type	E-mail, Push notification
Night vision distance	30 m	Motion sensor	✓
LED type	IR	Digest authentication	✓
Number of illumination LEDs	4	Management features	
Infra-red wavelength	850 nm	Web browser	✓
Video		Cloud-managed *	✓
Maximum resolution *	2560 x 1920 pixels	Reset button	✓
Total megapixels *	5 MP	Power	
Video compression formats	H.264, H.264+, H.265, H.265+	Power source type *	DC, PoE
Supported graphics resolutions	320 x 240, 640 x 480 (VGA), 1280 x 960, 2048 x 1536 (QXGA), 2560 x 1920	Operational conditions	
Image quality adjustment	Brightness, Contrast, Saturation, Sharpness	Operating temperature (T-T)	-30 - 60 °C
Back Light Compensation (BLC)	✓	Storage temperature (T-T)	-40 - 60 °C
Highlight Compensation (HLC)	✓	Operating relative humidity (H-H)	0 - 95%
		Storage relative humidity (H-H)	0 - 95%
		Weight & dimensions	
		Height	56 mm
		Diameter	13.2 cm
		Weight	440 g



8885020627848

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-MAR-2025. Prints or copies of Information are only valid on the printed Publication date